MACERS HERBAL PRACTYSYD BY DOCTOR LYNACRO

Tranſlated out of laten,
in to Englyſhe, whiche
ſhewynge theyr Operacyons
& Vertues,
ſet in the margent
of this Boke, to
the entent you
myght knowe
theyr Vertues.

MVSEVM
BRITAN
NICVM.

47

AGnus Caſtus, is an Herbe called Tutſayne, or parke leuys and the leuys be ſomdele red, lyke to the leuys of Orage, and he hath a yelowe Flower aſmoche as a Penye, and beryth in the toppe blacke Beryes when they be rype, and yf they ben not rype, they be yelowe as the flower of the herbe, this herbe groweth moche in woodes and drye places.

¶ The vertu of this herbe is to kepe men & women chaſte. And therfore as Diaſcoridon and Placent ſayth it is colde, & calleth it Agnus caſtus Alſo this herbe openeth the poores & letteth out wycked humours and ſpyrites of a mānes body. This herbe diſtroyeth the moyſter of a mannes ſeede. Alſo the ſame auctour ſayth yf this herbe be ſodē with Fenelſede, & with a lytell ayſell, it woy

Chaſte

Body

Mans

ſeede.

de

deſtroye the colde dropſye. Alſo yf it beſoden with ſmalache and ſawge in ſalte water, and then waſſhe the hynder parte of a mānes hed, it helyth and vnbyndeth an euyll that is called lytarge. Alſo this herbe deſtroyeth yͤ fowle luſt of lechery yf it be dronken, and men vſe to lye vpon hym or ſlepe vpon hym, and therfore ſomtyme men eate this herbe roſted, for yf men eate it rawe he wyll lyghtly engender hedache. This herbe is good to deſtroy hardnes & ſtoppyng of the lyuer & the mylte. Alſo a plaſter made of this herbe is good to do away the hedache, that is gēdred of wycked humours, this herbe is colde and dry, and there be thre ſpyces of it.

Dropſye.
Lytarge.
Lechery.
Hedac
Mylte.
Hed humores.

¶ Smalache or Marche.

APiū is an herbe called Smalache or marche. This herbe hath leuys lyke to louage, but the leuys ben not ſo longe, and it is not ſo ſtronge of ſauour as louage is, & his ſede is lyke perſely ſede.

¶ The vertue of this herbe is to cauſe a man to make water and he openyth the ſtoppyng of the lyuer. Alſo the ſede hardneth a mannes wombe and drawethe awaye wycked humours of a mānes body to the heed, and the ſtomacke & the wombe, and noyeth hym moche that hath yͤ fallynge euyll, and women with childe & other ſuckynge chyldren, ſhulde not eate of this herbe for takynge of the fallyng euyll, this herbe is hote & drye, and hath .v. ſpyces of her.

ake
ater.
yuer.

obe.
lling
yll.

¶ Anetum.

ANetum is called Anyce. This herbe hath leuys lyke to Fenel other dyll, & the ſame ſauour, ſhe bereth ſede ſō wele as the ſede of orage.

¶ The vertue of this herbe is to make a mā to pyſſe, alſo this herbe ſwageth yͤ rumblynge of a mānes wombe. Alſo he deſtroyeth the yoske, and yͤ ſede

umi
ynge
he
ſke.

ſede of this herbe brente ⁊ ſtrawed on a wounde wyll hele it ſoone, and namely yf a man be ſcaldyd on his membres, or on his yarde, ſtrawe the powdre theron, and it wyll hele ſoone. Or what other maner euyll aryſeth in a mannes yarde. Alſo a plaſter of the ſede brent and layde to the Emerodes hote helyth them ſoone. This herbe is hote and drye.

woū

yerd

Eme

ſcalde

¶ Cherfoyle, Cheruyle.

A Periū is an herbe called Cherfoyle or Cheruyle, this herbe hath ſmall leuys lyke hemloke, but this herbe is ſwete in ſauour, ⁊ he hath a whyte flower and a longe ſede lyke ootes. ¶ The vertue of this herbe is yf he be drōken he maketh a man to pyſſe well. Alſo he delyuereth the ache in a mānes raynes and of the bladder. Alſo yf he be dronke with wyne, he letteth oute wycked wyndes from the ſydes, ⁊ ſtoppynge of the wombe and the lyuer, and all dea-

Ache

rayne

wyn

aſtig

a
aſan
per.
oun
es.

maner wyndes. Alſo this herbe withholdeth caſtynge. Alſo a plaſter made of this herbe and tempred with eyſell deſtroyeth wylde fyre, & heleth the canker, & other woundes and putteth awaye the chylle from al woūdes, This herbe is one of the ſpyces of Smallache, and is hote and drye.

¶ Wormwode.

hto
macke
herte.

ABſynthium is an herbe, called wormwod, and his leuys ben ſomdele whyte. and he hath a great moore. & out of that moore cōmeth many braunches, & he flowreth as doth mugworte. ¶ The vertue of this herbe is to cōforte the ſtomacke & clenſe the herte. Galyen ſayth that this herbe hathe two vertues, one is laxatyfe, the other coſtypatyfe. And therfore he ſaythe that yf this herbe be gyuen for an euyll of the whiche the mater is not fully defyed, it ſhal harde the ſtomacke and let digeſtyon. And yf the mater of ẏ the euyll be ryped, than this herbe wyll make a mã laxatyfe, and eaſely put away dronkenes. And yf this herbe be dronke with ſpykenarde it aſwageth the akyng of the ſtomacke ⁊ the wombe, that is gatheryd of wycked wyndes. Alſo yf this herbe be temperyd with hõny, and dronken it heleth the ſwellynge in a mãnes mouth, ⁊ putteth away the blackenes of a mãnes iyen, and cleryth them moche. Alſo yf this herbe be ſtamped with the galle of a Bull, ⁊ after that put in a mannes iyen, it doth away all maner of ſhemerynge ⁊ dymnes of a mannes iyen. Alſo ẏ iuce of this herbe ſtylled in to a mãnes noſethryle dryeth vp the moyſture that rõneth out of them. Alſo Diaſcorides ſayth yf this herbe be put in to a preſſe amonge clothes it ſaueth them from motthes. Alſo yf it be layde among bokes wryten with

Dige
ſtion.
Lax.
Wide
Swel
lynge
Iyen
Iyen
moy
ſte
Mot
thes.
Boke

ynke yͤ wormes ſhal not eate them.

¶ Mugworte.

Artemeſia is an herbe, yͭ is called Mugworte, this herbe is lyke to yͤ leuys of wormwood, but they ben not all thyng ſo rounde, ⁊ this herbe hath a lõge ſtalke, and many ſtalkes cõmen out of the roote, and floweth, as doth wormwoode.

¶ The vertue of this herbe is yf a man trauaylynge bere this herbe about hỹ, he ſhuld not be wery for his trauayle nor in his way. Alſo where this herbe is in any houſe, there ſhall no wycked ſpyrite abyde. Alſo this herbe ſtamped with talowe helyth the ſorenes ⁊ ache of mẽnes fete. Alſo this herbe made in powdre, and dronke with blode warme water heleth the ache of a mãnes guttes ⁊ many other, ⁊ it is hote ⁊ drye.

¶ Affodylle.

Affodyllus is an herbe called Affodyll. This herbe hath leuys lyke to leekes & a yelowe flower at the top, he hath rounde coddes, in the whiche is ſede lyke onyon ſede.

¶ The vertue of this herbe is, the braunches ben good to hele the dropſye. Alſo the leuys & the flowers dronken with wyne helyth the bytyng of venomus beaſtes. Alſo the iuce of this herbe and the rote with a lytell Myrre and a lytell ſaffron ſoden in olde ſwete wyne, and than ſtrayned, is good to hele ronnynge iyen. Alſo the rote of this herbe brent i powdre and put in the iyen that haue loſte theyr heer, ſhal make heer to growe Alſo & a harde ſharpe clothe be wet in the iuce of this herbe & therwith anoynt with the clothe in the ſonne the Morfue and the bowe ſhall fall awaye, this herbe is hote and drye.

Dropſye.

Venõ

Infirm iyen.

Heer grow

morfe

¶ Red Mader.

Aſtrologia longa, is called red mader. This herbe hath leuys lyke to mader, and he hath a braunche the length of a cubyte, and many braunches cometh out of one rote, and the braunches haue many knottes ryght as mader, and hath a whyte flower. ¶ The vertue of this herbe is, that it wyll vnbynde the ſtoppynge of the lyuer, and let out all wycked wyndes that ben ſtoppynge in a mannes body. Alſo this herbe clenſyth woundes that ben rotten. This herbe muſt be gatheryd in haruest and is hote and drye.

net.
des.

oan,
s.

¶ Galyngale.

ASTrologia rotunda, is called Galyngale, This herbe hath leuys lyke to Burres, and hath but one braũche and grene leuys aboue and vnder ben whyte, and it flowreth as it were betayne ſaue ẏ flowers ben whyte. ¶ The vertue as Ipocras ſayth yf he be dronke with hote water it is medycynable for men that ben ſtopped in the breſt and for fallynge euyll, and for the poda

est
nyll.

gre and the crampe, and he muſt be gatheryd in harueſt he is a ſpyce of Water, and he is hote and drye. &c. Crāpe

¶ Sothernwode.

ABrotanum is an herbe named Sothernwode. This Herbe hath a ſtalke lyke to rue but he hath ſtreyghter leuys than Rue. ¶ The vertue of this herbe is yf the ſede be broken and dronken with water it helyth men that haue ben bytten wͭ venomous beſtes. Alſo it diſtroyeth wormes in a mannes wombe Alſo the powder therof medled with olde oyle & put to the place there lacketh heer it ſhall growe agayne Alſo the powder of this herbe breketh yᵉ hardepaſſion this herbe is hote & drye.

Veno.
wombe
Heer
paſſio

¶ Ameos.

AMeos is an herbe called Amee this hath leves leke to Elverne, but they ben leſſe & a longe braūche and flowreth and ſedeth as it were perſely, and the ſede is lyke to the ſede of Perſely. ¶ The vertue of this herbe is yf it be dronke with hony it ſleeth Wormes in a mannes wombe, and unbyndeth great ſtoppynge of wycked wyndes in a mannes wombe, he breketh the ſtone, he healeth a mannes ſtomacke yf it be colde, he clenſeth the lyuer and the reynes and woundes, he helpeth the bytynge of venymous beaſtes, and it is hote and drye.

¶ Alleluya.

Alleluya is a herbe callyd wood ſore or ſtubworte, this Herbe hath .iii. leues of the whiche .ii. ben rounde and a lytle departed aboue & it hath a whyte flower, but no longe ſtalke. ¶ The vertue of this herbe is yf it be roſted upon ŷ coles in leues of the red docke, then it ſhall frete away deed fleſhe, & it is hote & drye.

¶ Agrimonia.

Agrimonia is an Herbe called Egrimonye, and the leues be lyke to Tanſey, but the leues of this ben greater, and he hath a blewe flower, and when the flower is fall he hath ſede that wyll hange in a mannes clothes, this groweth by dyches, or hedges, & wodes. ¶ The vertue is yf he be eaten grene with the rote he heleth the akynge of the wombe. Alſo this herbe tempered with eyſell wyll heale a ſore hurted with yron. Alſo yf it be vſed in meates it wyll heale the ſorenes of the mylte, and it is hote and drye.

akyng wōbe.

A ſore hurte.

mylte.

¶ Auancia,

AUancia is an herbe called Auendre, it hath leues lyke to an hare foote, this herbe is called hare fote, and he hath a yelowe flower as t were Turmentyll. ¶ The vertue s yf he be dryed and made in powder, and put in a lytell wyne or hote water and gyuē to a man that hath he Feuers to drynke, it ſhall helpe hym ſoone. Alſo it helpeth moche

the feuers.

he can
ker.

wondes, & the canker yf it be dꝛonke.

¶ Altea.

ota;
a.

icked
athe-
ynge.

ALtea is an Herbe called the Holyhocke oꝛ wylde malowe, it hath leues as it were malowe & hath a longe braunche, he ſedeth as doth malowe. ¶ The vertue is yf it be ſhreded with tallowe, and taken to a man that hath the potagre, he ſhall be hole within thꝛe dayes. Alſo yf this herbe be ſoden with vynegre and with lynſede, and layde vnto a mans ſydes it departeth wycked gatherynge that ben gendꝛed togyther in a mans body it groweth in feldes and hote places.

¶ Amariſta.

AMariſta is an Herbe called Mabothen oꝛ docterfenel, thi herbe is moche lyke to Camamyll, and floweth as Camamyll, foꝛ i hath whyte flowers, and this herb ſtynketh as it groweth in the felde and in coꝛne. ¶ The vertue of thi herb herbe is that the ioyce therof dronke is good for the cãker. Alſo to hele the pypes of Emerawdes and there be two ſpyces of this herbe, one hath a whyte flower, the other a yelowe flower.

the can-
ker.
Eme-
rawdes

¶ Aniſum.

ANiſum is an herbe called Anneys, it hath leues as Comen or Fenell, but the ſede is more than Fenell ſede. ¶ The vertue of this herbe is that he vnbyndeth wycked wyndes and great humours, and he openeth the ſtoppynge of the leuer. Alſo he maketh womãnes mylke to wex. Alſo he ſtyrreth man & woman to workes of kynde. Alſo it maketh a man to make water and to ſwete. Alſo it maketh the wombe harde yf it be late, this herbe or elles the ſede ſhulde be take moyſte, and roſted or perched in maner of medycyne. this herbe is hote and drye.

wicked
wides.
Lyuer

Wo-
ken.
water

¶ Alleum.

Alleum

A Lleum is an herbe called Gar
lyke, this herbe is comen.

¶ The vertue of hȳ is that he boyl
vnbynde all great ſtoppyng and boyl
ked wyndes in a mannes body. Alſo
he helpeth a mā to make water, but
neuertheleſſe he greueth a mannes
eyen for the great vnbyndynge and
drawynge that he vertuouſly draw
eth the ſyght. Alſo he dyſtroyeth a
venym within a man. Alſo he hea
leth colde ſores as it were Tryacle
Alſo he doth awaye the morfewe o
bladders in what place that they ben
of the body yf it be well rubbed there
with, and it is hote and drye.

wicked wides.

Venym with in a man.

¶ Aſtraton.

A Straton is an Herbe called
Lunarye, this Herbe groweth
amonge ſtones or hye places, this
herbe ſhyneth by nyght, this herb
this moyſture yfounde by ſhepherde
in the felde, and it hath yelowe flo
wers hole and rounde as cokobell

o

or flowers of Forloue, the leues of
this herbe ben ȝende blewe, & they
haue the marke of the Moone in the
myddes as it were .iij. leued graſſe,
and the leues ben more thē .iij. leued
graſſe, and ben rounde as a peny, it
hath a ſtalke & that is red, it ſmelleth
as it were Muſke, & the ioyce
is yelowe, this groweth in the new
Moone without leues, and euery
daye waxeth a newe lefe .xv. dayes,
and after .xv. dayes he leſeth a lefe
as the Moone waxeth and wayneth
and where ſoeuer this Herbe be he
groweth in great quantite. ¶ The
vertue of this herbe is that who ſo
ſeeth his bayns or els of the herbe
in the waynynge of the Moone whā
he is in ſigno virginis, yf he haue
the fallyng euyl he ſhalbe hole. Alſo
who ſo hath the fallyng euyll bere
this herbe aboute his necke and he
ſhall be hole. And it hath many mo
vertues thā I can tell at this tyme.

falling
Euyll

¶ Anabulla.

ANabulla is an Herbe called Catapuſe oꝛ Spourge.

¶ The .ii. letter begynneth with .B.

¶ Betonia.

BEtonia is an Herbe called Betayne oꝛ byſſhoppes woꝛte, this herbe hath hole leues, but they be endented by the ſydes without, and it hath a red flower in the croppe of the ſtalke.

Woũde in the heade

¶ The vertue of this herbe is yf he be punne and put to the woũde in the heade that is ſmytten with a ſtroke he ſhall hele the wounde fayre and well, and the better yf it be freſſhe.

Bꝛoken bones of ẏ hede.

Alſo this herbe wyll dꝛawe out bꝛoken bones of woũdes as ſome Auctours ſayen. Alſo take the water of Betayne, oꝛ els bꝛeke the leues and take the iuyce and put it in to thyne eyes, than ſhall you fynde that it is good foꝛ akynge oꝛ ſoꝛenes in the

Soꝛe

iyen. Alſo take of betayne a dragme and punne it and medle it with water that is warme, and drynke it .iiii. tymes faſtynge and it wyll breke ŷ webbe aboute the iyen, and clenſe theym well and fayre. Alſo yf thou haue waterynge iyen eate euery day a lytell Betayne and it clenſeth thē. Alſo yf thou haue akynge iyen, take the leues of Betayne freſſhe by it ſelfe, or els with a lytell water, and then wrynge out the ioyce and put therto a lytell Roſe water, warme them well togyther, and ſtyll it in to thyne iyen, and afterwarde put a boue wolle, & ſo thou ſhalt be hole. Alſo yf thou blede moche at the noſe take Betayne & punne it with a lytell ſalte, and do it to thyne Noſethrylles, as moche as thou mayeſt with thy Thombe and thy mydle fynger, and than holde thy Noſethrylle with the ſame fyngers, and the bloude ſhall ſtãce. Alſo yf thou

Iyen.

Noſe bledes.

Webbe.

haue

ſore eeth.

haue ſore teeth, take Betayne and ſeth it in olde wyne, or in eyſell tyll it be ſodde to the thyrde parte, and holde it in thy mouth, ⁊ thou ſhalte amende. Alſo yf yͤ haue the cowghe take two ounces of the powder of Betayne and a lytell hony, and ſeth it with eſy fyre, and vſe it .ix. dayes. Alſo yf a mannes yearde be ſwollen or els ſore, take Betayne and pune it with lytell wyne, and after laye to the yarde and he ſhalbe hole Alſo yf a man maye not holde his mete withī hym, take .iiij. dragmes of the powder of Betayne ⁊ medle it with hony that is ſodde, ⁊ make pellettes as great as a walſche nut and gyue hym .iiij. dayes eche daye a pellet, and do hym to drynke .ij. ſpone full of that water, and than he ſhall be hole. Alſo yf a man be potagre, take Betayne and pune it and laye it to his fete, and he ſhalbe amended. Alſo take a lytell Betayne

The cowgh.

mãnes yarde wollen

omes ynge.

otag re.

oꝛ the powder and eate it erely, and it ſhall helpe the fro dꝛoukẽnes that daye, theſe medycynes ben pꝛoued, and hath many mo vertues. This herbe groweth in woodes and holly places amonge buſſhes in darke places, this herbe is hote and dꝛye.

Dꝛonkẽnes.

¶ Balſaminta.

Balſaminta is an Herbe that men call hoꝛſemynt, this herbe hath leues lyke vnto other myntes and ſome mẽ calleth it water mynt it groweth moche by water, but it hath a ſtronger ſauer then hath another mynte. ¶ The vertue is that he wyll confoꝛte the ſtomacke, and make a man well to defy his meate Alſo this herbe purgeth a mã with in the bodye, and maketh hym well to ſpeke. Alſo the ioyce of this herbe medled with hony ⁊ a lytell wyne doth awaye the ſelylke of a mãnes ſtomacke, ⁊ other wycked wyndes of hym. Alſo the ioyce of this her-

Purge mans ſtomach.

be

be dronke with wyne yſode maketh a woman with chylde eſely to bere her chylde, and ſoone to be delyuered, this is hote and drye, and hath two ſpyces. ☞ ☞

womā
uth
Chylde.

¶ Beta.

BEta is an Herbe called Bete this herbe is cōmen, & groweth in Gardaynes, and there be two ſpyces therof, & Diacolides ſayth, one is whyte another blacke.

¶ The vertue of this herbe is that the ioyce of this herbe putte it in to the noſethrylles, it clenſeth a mans heed. Alſo this herbe ſwageth the akynge of a mannes heed. Alſo it clenſeth the heed from nyttes, and frō other vermen. Alſo it repayreth and kepeth the heer of a mānes heed Alſo this herbe dyſtroyeth botches and byles. Alſo Diacolides ſayth that vpon yͤ rote of this herbe may be plāted a graffe yͭ wyl after warde beare fruyte, as vpon the cole rote.

Heed
ache.
nyttes
Heer.
Botc
hes.

¶ Borag

¶ Borago Domeſtices.

Borago Dimeſtices is an herbe called Borage, this groweth in Gardaynes, and he hath ſhorte leues and a blewe flower. ¶ The vertue of this Herbe is that he wyll clenſe the red colour of man Also this Herbe medled with wyne maketh a man glad and mery, and it is hote and drye.

colour

merye

¶ Bigula.

Bigula is an herbe called Brome Bugle this hath leues ſomwhat rounde, and ſomwhat cowlorynge to blacke, and he hath a blew flower and ſomwhat boyſtous.

¶ The vertue of this herbe is that he wyll hele woundes in a mannes heed. Also it breketh and dyſtroyeth the rewme in a mannes heade and the akynge, he groweth in woodes, and he is hote and drye, also there ben .ii. ſpyces of hym.

woun
des in
ẏ hede
reum

¶ Burneta.

BUrneta is an herbe called Burnet, and it hath a blewe flower as hath Hayhoue, and leues lyke to Tanſey, but they be not ſo great.

Laxatyue. Lyuer.

¶ The vertue of this herbe is that he wyll diſtroy the great humours and the laxatyue within a man. Alſo he healeth and openeth the ſtoppynge of the lyuer, and maketh a man to pyſſe. Alſo he healeth a man of the yelowe euyll. Alſo the ioyce medled with hony and dronke, vnbyndeth and healeth the ſore of the rybbes and pappes, and there be ii. ſpyces of this herbe one groweth in harde lande and hath lytell leues, another groweth in medowes and haue more leues.

Sore rybbes

¶ Burſa paſtoris.

BUrſa paſtoris is an herbe called ſhepardes purs or tocheworte, this hath leues departed ſomdele as Burnet, and hath a whyte flower, and when he hath loſt his flower, he hath the maner of a purs, in ẏ whiche is ſede. ¶ THE vertue of this herbe is he wyll ſoone ſtaũche blode yf he be dronke, it groweth in feldes and Gardaynes well nyghe all aboute, and he is hote and drye.

For ble
dyng

¶ The .iij. letter begynneth w. C.

Camamilla.

Camamilla is an Herbe called Camamyll, this herbe hath leues lyke to the mauth and whyte flowers but he ſmelleth ſote and the mauth ſtynketh. ¶ The vertue is yf he be dronke with wyne he breketh the ſtone. Alſo he ſtroyeth the yelow euyll. Alſo he healeth the akynge of the lyuer. Alſo yf he be chewed he healeth the ſore of the mouth, this is hote and drye, and groweth moſte in gardaynes.

For ẏ
ſtone.
Euyl
Lyuer

¶ Calamintum

Calamintum is an Herbe that is called Calamynte, this her‐

be

he hath leues lyke vnto mynte, but the leues ben whyter and rounder then the leues of Mynt, and more ſtronger of ſauour, & it hath a whyte ſtalke. ¶ The vertue of this herbe is that he wyll diſtroye a mannes talent as ypocras ſayth, and there be thre ſpyces of this herbe, one ẏ is ſtonye, another that is hery, another that is waterye, and they be hote and drye, and he that is hery maketh a man moyſte, he that is ſtony yf he be dronke he maketh a man that hath dronke venym hole. For venym. Also this herbe made in playſter & layde to any venymous ſore, it draweth the venym from within outwarde. Also who ſo drynketh this herbe .iij. dayes, it heleth the yelow euyll, he that is hery it helpeth frõ the lepour, the ioyce of this herbe put in to a mannes eares, it kylleth the wormes therin, it comforteth the ſtomacke and helpeth to delye

Lepre. ares. tomack

and it withdraweth caſtynge.

¶ Craſſula maior.

CRaſſula maior, is an Herbe called Orpen or Ormale, this herbe hath ſomwhat thycke leues as it were Penywort. ¶ The vertue of this herbe is yf it be layde to a wound he ſhall hele it without any helpe, this Herbe groweth in gardaynes. ☞ ☞

For woūds

¶ Craſſula minor.

CRaſſula minor is an herbe called Stonor or Stonecrope, it hath lytel leues lyke to Orpyn, and it groweth vpon howſes & walles and groweth ſomwhat hangyng. ¶ The vertue of this Herbe is, he wyll make a man to lyue chaſte, and it is dronke for the agne.

For ỹ agues.

¶ Citura.

CItuca is an herbe called hembloke or herbe Benet, it hath leues lyke to Perſely, and ſo the flowreth and ſedeth as doth Perſely,

but this herbe ſtynketh. ❡ The ver-
tue is he kepeth maydens pappes
from great waxynge. Alſo yf the
ioyce of this Herbe be dronke he
Leche- diſtroyeth the great appetite of le-
y. chery. Alſo the ioyce of this with
The the ſpume of ſyluer & ſwynes grece
Pota- diſtroyeth the hote potagre, and
gre. ſwageth the ſwellynge, this herbe
is colde and drye.

❡ Centuaria maior.

Centuaria maior is an herbe
that men calleth the more cen-
tory or earth gell, this hath leues
lyke to the leſſe centory, but they be
more whyter and hath a ſtalke and
yelowe flowers, & flowreth not but
in the top. The vertue of this herbe
is yf he be ſodden with good wyne
or ÿ and gyuen a man to drynke, it hea-
uer. leth the ſyckenes of the lyuer. Alſo
this herbe ſodden in wyne & dronke
dryeth vp wylde humours of a mā-
Mylt. nes mylt, this hath ben often pro-
ued

ued . Alſo the ioyce of this Herbe
ſodden in water is good to heale a
wounde of another place that is
ſmytten with a canker yf he be a Canker
noynted therwith, it is hote ⁊ drye,
and groweth in drye grounde.

¶ Centuaria minor.

CEntuaria minor is an Herbe
called the leſſe centory or cri-
ſtus lader, this hath leues lyke to
the more centory, but the leues ben
more grener, ⁊ he hath thre braun-
ches comynge out of the more, and
the flower ſomwhat rede. ¶ The
vertue is yf the powder or the ioyce
be medled with olde wyne ⁊ dronke
is good to hele the ſtyngynge of an
dder, or any other venymus beeſt. Venym
Alſo yf you haue ſore iyen take the
ioyce and anoynte your iyen and iyen.
thou ſhalt be hole. Alſo yf thou ha-
ue any venym within the, take and Venym
une this herbe and tempre it with
yſell and drynke it and you ſhall
caſt

caſt vp all the venym, and it groweth in drye places.

¶ Carin.

CArin is an herbe called caraway, it hath leues lyke ſomwhat to Fenell, and a long ſtalke ⁊ rounde ſede, more then the ſede of perſely. ¶ The vertue of hym is that he dyſtroyeth wycked wyndes and the coughe, ⁊ heleth men that hath the frenſy, and bytynge with venemous beeſtes. Alſo this herbe medled with ayſell heleth ſcabbes and tetters, ⁊ reſtoreth heer where it falleth away, this herbe is hote and drye, ⁊ groweth in gardaynes.

For yͤ cowgh.

ſcabbes.
Heer.

¶ Celodonia.

CElodonia is an Herbe called Celondin or Detenwort, this hath leues that ben grene and yelowe flowers, and whẽ he is broke he droppeth mylke, and the leues be ſomwhat lyke to Columbyne.

¶ The vertue of this herbe as Pli-

nius ſayeth, yf a ſwallowes byrde
be hurte the dame fetcheth of this
herbe & healeth hym agayne. Also
t heleth the ache of the teeth. Also
t clenſeth a mans hede. Also it hea
leth the canker and other ſores in
the mouth, this is hote and drye.

Toeth ache.

canker

Cidamū.

Cidamum is an Herbe called Hertnote, or Dylnote, or Flete or Halewoorte, this hath leues lyke to Fenell, and whyte flowers and ſmall ſtalkes, and groweth in woodes and medowes. ¶ The vertue is that he wyll fetche away deade fleſhe. Also this herbe put on a ſore or on a place that lacked heer, it heleth it and reſtoreth heer, this is hote and drye. ☞

Deade fleſſhes

Heere

¶ Caulis.

Caulis is an herbe called Colewoorte, this herbe is cōmen to you. ¶ The vertue of hym is that he wyll clenſe freſhe woundes, and

the

For ſo re eyen the canker, and hele ſore iyen that haue almoſte loſt theyr ſyght. Alſo it maketh womans mylke to waxe

ſtomac and he comforteth the ſtomacke. Alſo ioyce ȳ of this herbe tempred with alym and eyſell ſwageth the

Lepre. lepre. Alſo it is good for dronkenes, & groweth in gardaynes.

Coriandrum.

COriandrum is an herbe called Cetriander, he hath leues lyke to erthenote ſomdele, and hath a lytell whyte flower, and rounde ſede ſomwhat whyte, and he is ſtronger in ſauour. The vertue is yf the ioyce be dronke with hony, it ſleeth

Wormes in ȳ body all the wormes in a mannes body, and alſo hardeth a mannes wōbe. Alſo yf ȳ ſede of this herbe be eate

Feuers. it dryueth awaye the Feuers that cometh the thyrde daye, this herbe is hote and drye.

Capillus veneris.

CApillus veneris is called may

den heer or water wortes, this hath leues lyke to ferne, but the leues ben ſmall, and groweth vpon ſtones & walles, and in the myddle of the leues is as it were a blacke heer.

The vertue of this herbe is that he wyll breke the ſtone. Alſo yf it be dronke with wyne it dyſtroyeth the venym, he is colde and drye.

For ẏ ſtone.
Venym

Crocus.

CRocus is an herbe called Saffron, this hath lytell leues as it were graſſe, and blewe flowers.

The vertue of hym is that he wyl diſtroy all maner of abhomynacyon of the ſtomacke. Alſo he maketh a man to ſlepe. Alſo ẏ flower is good for many medycyns, and namely for cookes to colour theyr potage and it is hote and drye.

ſtomac.
To ma
ke a mā
ſlepe.

Centinodium.

CEntinodium is an herbe called Centinodi or ſwyngraſſe, this herbe groweth welnye ouer all.

For ẏ ſtone. ¶ The vertue of this herbe is that he wyll breke the ſtone, this herbe is hote and drye, and may be gathered at all tymes.

¶ Caprifolium.

Caprifolium is an herbe called woodbynde or withwynd, this groweth in hedges or in woodes, and it wyll beclyppe a tre in her growynge, as doth yuye, and hath whyte flowers. ¶ The vertue of this herbe is that he wyll hele cankers, and woundes, and bladers, and akynge of the teeth, and ſores in a mannes toen. Alſo it is good to hele ſwellynge that is ſmyten or ſtõge with bees this is hote and drye.

Canker

Teeth.

ſwellyg.

¶ Canabaria.

Canabaria is an Herbe called wylde hempe, and this hath leues lyke to hempe. ¶ The vertue of this herbe is that he is good for the feuer, and groweth moche by water, or moyſte groūde.

Feuer.

Coſtus

¶ Costus.

COostus is an herbe called coste or lesse dytayn, this hath leues as dytayn, but they be not so moche, & the leues be more whyter then the leues of dytayn. Also it is sote in sauour. ¶ The vertue of this herbe is that he heleth the syckenes of the breste and of the longes & also he wyll breke the Postym. Also he drawyth the humours of mānes eyen. Also he is good for ẏ stomake and it is hote and drye. ☞

ẏ brest.
longes
postim

¶ Cepe.

CEpe is an Herbe called an Onyon this is comyn ynoughe. ¶ The vertue therof is that he wyll greatly comforte the stomake. Also he nesshyth the wombe. Also this herbe with hony & eysell and dronke is good to hele the bytyng of a hounde. Also this Herbe medled with womans mylke heleth the akynge of earyn. Also ẏ Juce of this herbe [illegible]

stomac
hounde
earyns

Spe-
che.
reume.

with any lycure is good for a man that hath loſte ſodenly his ſpeche. Alſo the Juſe put to a mannes noſe thyrles breketh out the reume or any other wycked ſtoppynge this herbe is hote and drye.

¶Columbina.

Quĩ-
y.

Columbina is an Herbe called Columbyne or culuerfote, this herbe is ſomedelle lyke Celydoyne, but he droppeth no mylke. ¶The vertue of this herbe is yͤ he is good for a man that hath yͤ Quincy and he ſhulde be gathered in Auguſt.

¶Cõminum.

icked
inde.
ater.

Comminum is an herbe called Cõmyn, this hath leues lyke to Coriander ⁊ he hath many braũches cõmynge out of the ſtoke and hath ſtronge ſauour. ¶The vertue is that he diſtroyeth wycked wyndes and other euyll of the ſtomake. Alſo he helpeth a man to make water this herbe is hote and drye.

Cardi-

¶ Cardiaca.

Cardiaca is an herbe called Cardiake or Tylſper, this Herbe hath leues ſomdele lyke to blynde nyttell and he is pryckyd ſomedele vpon the tongue, and he hath lytell coddes ⁊ therin his ſede is. ¶ The vertue is that he is good for mē that haue the fallynge euyll. Also he is good for ſauces.

Fallig Euyle.

¶ Cicera.

Cicera is an Herbe called frenche Peſe he hath leues lyke another Peſe and alſo coddes, he hath not ſo great leues nother ſo longe coddes as hath ẏ other peſe, ⁊ there be.ij. ſpyces of her whyte and rede, and he groweth in Gardayns and her ſede in ſhape as other peſe.

¶ Camelion.

Camelion is an herbe called woluelciſtyl or a white thyſtyl this herbe hath whyte leues great and brode kene and red flower and groweth in wayes. ¶ The vertu of this herbe is great that yf thou takeſt this herbe whyle the ſonne is in Capricorne with the newe moone yt thou bere it with the or vppon the, there ſhall no myſchyfe come on the. good.

¶ Conſolida maior.

Conſolida maior is an herbe called confery this hath leues lyke to horſhele, but they be not ſo whyte and groweth in watry places and there be .ij. ſpyces of her the one hath a whyte flower, the other a red and lyke they be of one vertue. ¶ The vertue is, yf a mā be burſtyd within hym or broke take the roote of this herbe and roſte hym well amonge aſken and take hym to the ſycke faſtyng with hony and let hym eate it, and he ſhal be hole. Also this herbe hath broken leues & he is hote and moyſte & he bereth blacke ſede.

For bruſyd

¶ Conſolida minor.

Conſolida minor is called dayſye

or bruſeworte ⁊ he hath leues lyke to the leſſe centory ⁊ a whyte flower

¶ The vertue is that he is good to breke botches yf he be punyd ⁊ layde therto, this is a ſpyce of cōfery and he groweth well nye ouer all about in many dyuers places.

Botches.

¶ Conſolida media.

Conſolida media is called white Bothō or white guldes this herbe hath leues ſomdele enlonge and they be endentyd a lytell without and hath a whyte flower that is ſomdele lyke to dayſe and it groweth in medowes and lees, ⁊ hath dyuers vertues.

¶ The .iiii. letter begynneth with .D.

¶ Dragancia.

Dragancia is an Herbe called Dragance, or Elderworte or Serpentyne. this herbe hath .iii. leues in eche braunche and they be somdele

Venym
Eies.
Goute
Cāker

dele ſharpe as a neddyr. ¶ The vertue is and he be punyd with wyne he putteth away all venym. Alſo he heleth akynge of eies and they be anoynted therwith. Alſo yf the powder of this Herbe be blowen in a mannes Noſe it clenſyth the Noſe from ronnynge. Alſo it is good to dyſtroy the Goute and the canker & the feſterynge of woundes. ¶ This herbe groweth in wodes and hylles and he is hote and moyſte in the moneth of June and July he muſt be gathered. ☞ ☞

¶ Diptanum.

Womē with a deed chylde.

Diptanum is called Dyteyne, or ditander this Herbe hath leues lyke to Cooſte but they be greter then the leues of Cooſte and it hath a lytell whyte flower. ¶ The vertue is yf a womā be with a deed body it wyll delyuer her therof this herbe wyll drawe oute a thorne or yron out of a mannes fote or other place and it is hote and drye.

¶ Dancus aſinius.

Dancus aſinius is an Herbe called byrdneſt or Danke this herbe hath leues lyke to hemloke & a whyte flower. ¶ The vertue is ẏ he is good to hele the dropſy and bytynge of venymous beſtes. Alſo he openeth the ſtoppynge of the lyuer and of the mylte. Alſo he vnbyndyth a mānes wombe and maketh hym laxatyfe, this herbe groweth in feldes and bereth his flower lyke to a byrdes neſt and he is hote and dry.

dropſy

Mylt.

Laxatiſe.

¶ Dancus cleticus.

Dancus cleticus is an Herbe called the leſſe Tanke. This hath leues lyke to wylde popy but ẏ leues be more whyter and he hath a flower that is purpull color this groweth in wete and is hote & dry.

¶ Dens leonis.

Dens leonis is an herbe called Dandelyon, or lyons Toth this hath leues lyke to hoũdes toth and he hath a yelowe flower and he hath no braunches but as eche flower ſtretcheth out of yͤ more with a lytell braũche and it droppyth mylke when it is broke. ¶ The vertue is that the more of it is good to hele the Feuer cotidian and it be dronke with wyne it groweth all aboute.

Feuer.

¶ Dragancia feminea.

Dragãcia feminea is an herbe called, dragons femall it hath leues lyke to yuye, but they haue whyte ſpeckes and it hath a yelowe ſtalke the length of .ij. cubyttes other while as it were a croked ſtaffe and lyke to a ſnake and ſhe beryth her ſede as it were a cluſter of grapes, and when the ſede is rype it is yelowe this herbe groweth in darke places. ¶ The vertue therof is that yf the ſede be punnyd with oyle and put to a mannes eere it heleth the akynge of eeren. Also the leues

Eere.

of this herbe with a lytell wole put in to the noſtryll clenſyth the Noſe from all fylth. Alſo the more of this herbe punyd with whyte wyne and hony, heleth all woundes and the canker therin. Alſo he frotyth his hande well with the roote of this herbe he may take eddyrs without any peryll. Alſo the ioyce of this roote diſtroyeth the darkenes of the eyen yf they be anoynted therwith. Alſo this herbe dronke with wyne ſtyreth a man to lechery.

Noſe.

woūds.

for ſore eyen

¶ The .v. letter begynneth with .E.

¶ Elenacampana.

Elenacampana, is an herbe called Elencampayne or horſhelme & this herbe hath leues as it were Cōfery, but they be more whytter then the leues of comfery and he hath a longe ſtalke and a yelowe flower. ¶ The vertue is yf a man haue waggynge teth and eate

Teth.

therof faſtyng it wyll faſtē his teeth Alſo yf a man drynke this herbe it heleth hym from the ſtone and helpyth hym to make water. Alſo yf it be dronke, it delyuereth a woman of a deade chylde. Alſo it hardeth a mannes wombe yf it be Laxatyfe this herbe helyth a mā of the cough this herbe is hot and moyſt it groweth in woodes and feldes.

ſtone.

Laxatyfe.

For ẏ coughe

¶ Endiua.

ENdiua is an herbe called Endyue or horſthiſtyll, this herbe hath leues lyke to Sowthyſtyll, this hath prykes in the rygge and a yelowe flower. ¶ The vertue of this herbe is that the ioyce therof medled with hote water and dronke helyth the ſtoppynge of the myltes of the lyuer. Alſo it is good to hele the yelowe euyll ⁊ the feuer tercian and the hote poſtym. Alſo this herbe ſwagyth the great hete of the lyuer and of ẏ ſtomake ⁊ it is cold ⁊ moyſt.

For ẏ Mylte

Feuer.

Eruca

¶ Eruca.

Eruca is an herbe called Skyrwhyte this hath leues lyke to bylte, but they be not ſo longe and it hath a great more. ¶ The vertue is that the ioyce of the leues wrong out holde in a mannes mouth healyth al the ſore of the mouth. Alſo it brekyth the ſtone. Alſo the ioyce of this herbe ſodde & dronke diſtroieth blacke colour. Alſo it ſtyreth a man moche to lechery & he vſe it. Alſo it helpeth a mā to make water. Alſo ẏ ioyce of this herbe clēſeth a mā yf he be anoynted ther wᵗ. Alſo ẏ ioyce of this herbe delyueryth mē & chyldren from the coughe, this is hote & dry.

ſtone.

colour

water.

The coughe

¶ Eufragia.

Eufragia is an Herbe called eufraſſe, this herbe hath lytell leues lyke to heere colourd but they be moche lyke Heere, and he hath a white flower. ¶ The vertue is that he is good to hele ſore eyen, this her

Sore eyen.

he groweth in medes. ☞

¶ Ebulus.

EBulus is an herbe called Walworte, it hath leues ſōdele lyke Ederen and he hath a longe ſtalke and groweth in feldes. ¶ The vertue is that he is good to dyſtroye ẏ dropſy, and ſcabbes, or tetters. Alſo this Herbe drawth wycked humoures out of a man this herbe is hote and drye.

dropſy

For ſcabbes.

¶ Edera.

EDera is an Herbe called yuye, this is cōmon it doth couer howſes, and towres, & hath leues lyke to an herbe called bryan, and it bereth fruyte as it were baes. ¶ The vertue therof is yf it be Sodde and layde on a botche it heleth it ſoone. Alſo yf thy heade ake take the ioyce of this Herbe with oyle of Roſes &, ſeth them togyther in wyne, and anoynt the hede ther with, and thou ſhalt be hole. Alſo yf thou wylt kepe

For ẏ botche.

thy heade from akyng in the ſonne, take the leues of this herbe, & pune them ſmall, and then tempre them with eyſell & the oyle of Roſes, and thē anoynte thy forheade therwith.

For ye heade ache.

¶ Edera terreſtris.

Edera terreſtris is an herbe called orpyn, or heyhoue, this hath leues lyke to Carmynt, but they be not ſo moche, and hath in the crop a red flower. ¶ The vertue is yf it be put in potage amonge fleſſhe, he wyll make ye fleſſhe tendre & neſſhe.

For to make fleſſhe tender.

¶ Eborus.

Eborus is an herbe called longe worte, or Pelyter of Spayne, this is lyke to Pedelyon, but the leues of this Herbe be not ſo moche ſlytte without, and he hath a flower as it were a Paſnepe. ¶ The vertue is that he wyll hele ſcabbes, the morfewe, and Tetters. Alſo he letteth the emerawdes, yf it be layde to the place there it bledeth. Alſo he

Scabbes. Tetters.

put

Toth ache. ſtomac. wor mes. Fleeſe.

purgeth the colour of the flume. Alſo he helpeth the from the tothache yf it be ſodde with eyſell, and holde a quantite in your mouth. Alſo this herbe purgeth well the ſtomacke ⁊ the wombe. Alſo the powder of this herbe medled with a lytell growell ſhall ſlee wormes. Alſo the ioyce of this herbe medled with mylke ſhall ſlee flees, this herbe is hote ⁊ drye.

¶ Elabrus.

Rat tes.

Elabrus is an herbe called Eleuentonge, or Pedelyon, this herbe is moche lyke to longeworte, but not ſo flat as be ẏ leues of this herbe, and he hath ſomdele a brode flower, more than a peny, he hath a blacke roote and he is horryble in ſyght. ¶ The vertue of this herbe is that yf the powder therof be medled with growell or with mele it wyll ſlee rattes and yf a beeſt pyſſe blode, gyue hym this herbe and he is hole.

Epatica

¶ Epatica.

EPatica is an herbe called lyuer wort, this herbe groweth in brymmes of waters, and in welles, and it wyll ioyne to ſtones, and he groweth moche in walles of ſtone, and it hath nother ſtalke, nother flower, but ſmal rownde leues, and the more the leues be the better to medycynes. ¶ The vertue is that he wyll dyſtroy and clenſe the hardnes of the lyuer. Alſo the leues therof medeled with ſwynes grece wyll hele woundes. Alſo it is good to hele the Feuer quartayne.

Lyuer.

woũdes.

Feuer.

¶ The .vi. letter begynneth with .F.

¶ Famula.

FAmula is an herbe called ſperworte, or kãuſerele this hath leues lyke to a Spere heade, it hath a ſtalke and in the top cõmeth,

out

out many ſmall ſtalkes, and it hath
a whyte flower, and it groweth in
waters. ¶ The vertu therof is that
Feuer. he is good to hele the Feuers, and
Byles also for to breke botches and byles
and it is hote and drye.

¶ Fumus terre.

FUmus terre is an Herbe called
fumeterry this herbe hath leues
that ben somwhat white vnder, and
they ben ſmall, and it hath a flower
of Purpul colour, and this Herbe
groweth in ſtalkes, but not ful longe. ¶ The vertue is that he com-
omac forteth ẏ ſtomacke. Also he maketh
a man to haue apperyde to mete, it
water. helpeth a mā to make water, and it
openeth the ſtoppynge of the lyuer,
Bloud and clereth a mannes blode. Also yf
the ioyce therof be dronke it diſtroy-
ytchig eth ſcabbes & ytchynge, and blad-
ders that ben gendred of wycked
homours, and it is hote and drye.

¶ Fraga.

Fra

FRagra is an herbe called ſtrawbery, and this Herbe is cõmon. ¶The vertue therof is that he is good to dyſtroy a webbe in the eyen. Alſo it is good to hele woundes. Alſo the ioyce medled with hony, and dronke heleth the akynge of a mannes Mylte, this groweth in clene and darke places.

eyens

woundes

Mylte.

¶Fabaria maior.

FAbaria maior is an herbe called broke leues, this herbe hath roũde leues and moche lyke to myntes. ¶The vertue therof is, yf he be puned with ſhepes talowe, and made hote in maner of a playſter, & layde to any ſwellynge it wyll hele it, this herbe groweth in ſmall brokes, and moſte amonge belion.

ſwellĩg.

¶Filex.

FIlex isis an herbe called Ferne this herbe is cõmon, and there be.iij. ſpyces therof, one is called Ferne, & another is called polipode,

And

another called Oſmonde, and that is the ii. Spyces, another is called verrew and that is the .iii. Spyce, Polipode is good to make a man laxatyue, and groweth in Trees, Oſmonde is good to hele Broken bones, and it groweth in dyches & woodes, the .iii. that men call euer verrew groweth on walles, and is good to hele the potagre, and he maketh ſtronge a mannes ſenewes, & he groweth in woodes, dyches and Feldes. ☞☞

Laxaty ue.

Broke bones.

Potagre.

¶ Filipendula.

FIlipendula is an Herbe ẏ men calleth Filipēdul or dropworte, this is lyke to yaron, & he groweth next the grounde, the leues be more than the leues of yaron, it hath a ſmall ſtalke, and a flower ſomdele whyte, and in the more ſmall pelettes lyke yſhape as it were ſmall peltes rounde. ¶ The vertue is that he wyll diſtroy wycked wyndes aboute voyde the lyuer and the Mylte. Also he helpeth to dyſtroy the ſtone, it groweth in holowe places, & drye, and it is hote and drye.

Lyuer.
ſtone.

¶ Feniculum.

FEniculum is an herbe that men calleth Fenell, this herbe is cōmon ynoughe. ¶ The vertue is, the ſede when it is drye, it dyſtroyeth wynde in the ſtomacke. Also it comforteth a mānes ſtomacke. Also he openeth the ſtoppyng of the raynes and of the bladder. Also the Ioyce of this herbe ſtilled into a mannes eye doth away the webbe. Also yf it be dronke with wyne, it dyſtroyeth all maner of venym. Also the ioyce dropped in to the eres ſleeth wormes, ÿ ben within. Also yf it be dronke with wyne, it healeth the dropſy. Also it heleth all maner of ſwellynge. Also yf he be dronke with wyne or water it maketh a womans mylke to wax. Also yf he be dronke with wyne it kepeth

ſtomack
Venym.
Wormes.
dropſy

kepeth from caſtynge. Alſo yf he be medled with Oyle it wyll heale the ſwellyng of a mans yerde. Alſo yf yᵘ wyll be ſterred to lechery, take and drynke yͤ ſede therof in good wyne.

Swellynge.

¶ Farmus

FArimus is an herbe called hertewort or odobrame, this hath leues yſhape as a Herte and hath a flower as were bugle, and a ſhorte ſtalke. ¶ The vertue is yf he be broke ⁊ layde to a ſore it heleth anone this groweth in feldes ⁊ medowes

A ſore.

¶ Finiculus procinus.

FIniculus procinus is an herbe called ſwynes fenell or worme ſede, this herbe hath ſmall leues lyke to yaron, and of a ſtalke commynge many braũches it groweth vpon walles, and hath ſmall coddes and ſmall red ſede. ¶ The vertue of this herbe is, yf a man ete the rote therof, it diſtroyeth and ſleyeth the wormes within the wombe, and it

Wormes.

is hote and drye.

¶ Febrifuga.

FEbrifuga is called fetherfoy or vetyurfoye, this herbe hath many ſtalkes cōmynge out of one ſtalke, and it hath a whyte flower as it were Maces. ¶ The vertue is that he wyll comforte the ſtomacke. Alſo it ſwageth the feuer cotydyan. Alſo it is good to heale the crampe that cōmeth of a colde ſtomacke. Alſo yf this herbe be puned and layde to a ſore ỷ is bytten with a venymous worme or beeſt it ſhall be hole. Alſo this Herbe tempered weth Eyſell doth away the morfew. Alſo yf this be puned and layde to a wounde in the whiche is broken bones, it ſhall hele the Bones. Alſo the Roote of this herbe is good to ſtaunche the blody menſon, this is hote and dry.

ſtomake
Feuer.
Crāpe

Morfewe.

woundes.

¶ Filago.

FIlago is an Herbe called Felde worte, this herbe hath leues a lytell et longe, and it is lyke to hore Hounde, it is a lytell Herbe and it groweth in wete, his water is good for eyen. eyen.

¶ Flamula minor.

FLamula minor is an herbe called the leſſe ſperworte, it hath Leues as it were Graſſe, but it is ſharpe as it were a Spere. ¶ The vertue of this herbe is yf it be puned and layde to a hande that is byte, it ſhall be hole anone. For bitynge.

¶ The. vii. letter begynneth with. G.

¶ Granum.

GRanum is an herbe called Gromell, or lytell wale, this hath leues that ben parte en longe, and hath a lytell whyte ſede ſhape as a ſtone that men call marierypperle. ¶ The vertue of this herbe is that he is good to breke the ſtone, and the euyll of the blad- ſtone.

bledder, this herbe maketh a man to make Water, and this is hote and drye. ☞ ☞

water.

¶ Genescula.

GEneſcula is an Herbe called Geneſtre, or brome, this hath leues lyke to Spygurnell, and they ben a lytell longer, and it hath a yelowe flower. ¶ The vertue is that he is good to knyt bones and ſynewes togyther. ☞ ☞

Bones.

¶ Genciana.

GEnciana is an Herbe called Bladmoyne or Felwe worte. ¶ The vertue of this herbe is that he clenſeth the ſtoppynge of the ſtomacke, the lyuer and the mylte, and it be dronke with Hony and water. Alſo it healeth the bytynge of venymous Beeſtes. Alſo it delyuereth a woman of a deade chylde, and this herbe is hote and drye.

Stomacke.
Lyuer.
For bitynge.

¶ Galanga.

GAlanga is an herbe that we call

ſtomac

wicked wyndes

For ỹ mouth,

Reynes,

Galyngale. ¶ The vertue of this herbe is that he comforteth the ſtomacke, and it maketh a man to defye his meate. Alſo it vnbyndeth ⁊ letteth out wycked wyndes out of a mans body. Alſo it maketh a mans Mouthe ſwete. Alſo it healeth the reynes. Alſo it maketh a man to haue appetyte to a Woman, and it is hote and drye. ☜ ☞

¶ Granum ſolis.

GRanum ſolis is an Herbe called wylde Gromell, this hath leues ſomdele lyke to Gromell, and his ſede is lyke ſomdele to that other gromell ſede. Alſo he hath ſõdele ſuche a flower, neuertheles they dyffereth in the ſtalke, for the ſtalke of this herbe is ſharpe and it groweth moche in wete.

¶ Gladiolus.

GLadiolus is an Herbe called Gladyoll, or Gladun, this herbe hath leues lyke to an herbe cal led Betus, but it is not ſo grene, it hath a yelow flower ⁊ longe ſtalke, and it groweth in water.

ſaxyfry
fra

Graciadei.

Graciadei is an Herbe called graciadei, this hath leues ſomdele lyke to dens delyon, but the leues of this be ſomwhat ſharp, and it hath yelowe flowers, and it groweth in drye lande.

Graciadei maior.

Graciadei maior is an Herbe called graciadei the more, this hath leues lyke to cokyll, ⁊ it hath a whyte flower, it groweth in drye grounde, and whan that it is broke it droppeth mylke.

The .viij. letter begynneth w. H.

Haſtula regia.

Haſtula regia is an herbe called Wodroſe, it hath leues lyke to cornoyes wort, ⁊ this herbe is ſore in ſauour, and a womā ſhuld mouth.

moche therto it maketh her hede to ake. ¶ The vertue therof is yt the more of it be puned with wyne it ſhal hele ſores of the mouth. Alſo take the ſede of this Herbe and pune it and tempre it with the ſowreſt Eyſell ẏ ye can fynde, & drynke it, and it ſhal ſtanche the flyxe, & harde ẏ wombe.

For ẏ wombe

¶ Herba crucita.

Wounz des.

HErba crucita is an Herbe called Croys worte or Creã, this hath lytell leues and a ſmall ſtalke, and alſo a whyte Flower. ¶ The vertue of this herbe is that he wyll hele well woundes.

¶ Herba chriſtofori.

HErba Chriſtofori maſculus is an herbe called Herbe chriſtofer male, this herbe hath leues moche lyke to leſſe crowe ſape, but they ben more whyte & not fully ſo longe and it groweth ĩ drye grou͂de, & alſo in watery places, & it hath a yelowe flower. ¶ The vertue of this herbe is ỹ he is good to hele the peſtelence. Peſtylence.

¶ Herba walteri.

Herba walteri is an herbe called herbe water, this hath leues lyke to the leues of Perſely, and the leues be thycke, fat, and tender. ¶ The vertue of this herbe is that he wyll clenſe woundes & hele them. Woundes.

¶ Herba Roberti.

Herba Roberti is an herbe called herbe Robert, this hath leues lyke to herbe Benet, it hath a ſmall flower that is ſomdele red, it groweth in feldes & in hedges, and in walles. ¶ The vertue of this herbe is that he wyll hele woundes, and alſo the powder wyll ſlee ỹ Canker. Woundes. Canker

¶ Herba martis.

Herba martis is an herbe called mortagon, this herbe hath leues lyke to a letter. M. when he is a capytall letter, and in ſome braũche he hath .ix. leues, & ſome more, and ſome fewer, and bryngeth forth her leues & ſede togyther, this herbe hath many wonderfull vertues.

¶ Herba Johannis.

HErba Johannis is an herbe called ſeynt Johanes worte, it hath leues lyke to the leſſe Centory, it hath a yelowe flower and a longe ſtalke, and many ſtalkes cōmynge of one. ¶ The vertue is yf he be in a howſe, he ſuffreth no wycked ſpyrite dwell therin.

icked
pirites

¶ Herba petri.

HErba petri is an herbe called Cowſlope, this herbe hath leues lyke to herbe Xpofor femall, but they be more whyter, & it groweth in medowes.

¶ The .ix. letter begynneth with I

¶ Juſquiamus.

IUſquiamus is an herbe called Henbane or Hennebel, this herbe hath leues ſomwhat whyte vnders & the leues be flat a lytell without

out as it were ſowthiſtel, it hath a flower ſōwhat whyte, and it hath a great ſtalke and many braunches cōmynge out of one more, ⁊ it groweth in hye wayes. ¶ The vertue of this herbe is that the oyle made therof is good to dyſtroy all maner of Gowtes, and namely that, that cōmeth of melancolye. Alſo the ſede of this herbe layde on a ſlayte ſtone and hete it with the fyre, and let it ſmoke in the mannes mouth, it ſleeth Wormes in the Teth. Alſo he ſwageth the coughe and hote poſtume and hote pcragre. Alſo yͤ more is good for the Toth ache and the iuyce of this is good for all maner of woundes, and the ſede therof ſhulde be gathered in Auguſt. Alſo yf yͤ caſt the ſede therof in yͤ fyre all the hennes that be ouer the fyre ſhall fall in to the fyre, ⁊ it is colde ⁊ dry.

Gowtes.

Wormes.

Coughe.

Potagre.

Toth ache.

woūdes

¶ Iſopus.

Iſopus is an herbe called Iſope,

it hath leues lyke to ſauery, but they be not ſo brode, and he floureth as doth ſauery. ¶ The vertue therof is ŷ the ioyce therof medled wͭ eyſel and put in a ſore mouthe heleth it. Alſo it ſleeth wormes in ŷ wombe and maketh ŷ wõbe neſſhe. Alſo yf it be dronke grene or elles ŷ powder it maketh a mã well colowred, it is hote and drye.

A ſore. mouth

wormes.

¶ Ireoſe.

IReoſe is an herbe called, Sace ⁊ his leues be lyke to flowerdelyce, and it hath a whyte Flower, and groweth in ŷ Water. ¶ The vertue therof is that he wyll hele the akynge of the ſenewes. Alſo it diſtroyeth the cough. Alſo yf it be dronke with wyne it dyſtroyeth the wycked humoures of the breſt. Alſo it helpeth the bytynge of venymus Beeſtes or wormes. Alſo it dyſtroyeth ŷ crãpe. Alſo it delyuereth a womã of a deade chylde this herbe is hote and dry.

Senewes.

The coughe

Venym

Crãpe

A dead chylde.

¶ Ireis

¶ Iris.

IRis is an herbe called flowerdelyce, ⁊ it is lyke to Saue almoſte in all maner fetures, but this herbe hath a flower almoſte of purpyll colour, this groweth in waters and Gardaynes, and he hath the ſame vertues that Saue hath.

¶ Iua.

IUa is an Herbe called Iue, this herbe hath a roote euen downe to the grounde growynge, and it hath ſmall leues growynge euen by the grounde ¶ The vertue is yf a man haue a Sore ſwellynge aboute his eres, take this herbe cum bonitatibus of her in wyne and oyle and demyn, and than make a playſter therof and lay to the Eares and it ſhall hele them. Alſo take the knobbes of the roote and drye them and clenſe them, and they haue vertue to make the laxatyue, and it is hote and dry.

Swellynge.

Eares

Laxatyue.

¶ Iaſia alba.

IAſia alba is an herbe called wylde Tanſey or Goſe graſſe, but they be more whyter, and it hath a yelow flower, & it groweth downe by ẏ grou̅de as doth ẏ ſtrawberyes. ¶ The vertue of this herbe is good for the clenſynge of a mannes lymmes, it groweth in medowes, lees, woodes, and wayes.

Clenſynge.

¶ Iaſia nigra.

IAſia nigra is an herbe that men call matfelon, or bulwede, or yre̅harde, or knepwede, this hath leues lyke to ſcabyous, and it hath a purpull colour. ❧

¶ Ippia maior.

IPpia maior is an herbe called pympernell, or ſelfhele, or wayworte, or morecroppe, this hath leues lyke to chyckewede, but the leues of this ben leſſe, and it hath a flower of Purpull coloure, and it groweth in whete. ¶ The vertue of this herbe is that he is good to hele wou̅des

Wou̅de.

ces, and to dyſtroy Venym, and is good for the Poſtume, and to hele the ſore eyen. ☞ ❧

Venym
Poſtume.

❡ Yppia minor.

Yppia minor is an herbe that men call chyckwede this herbe hath leues lyke to pympernell, and it hath a whyte flower, and it groweth in Gardaynes and in feldes. ❡ The vertue of this Herbe is, ſeth it in ronnynge water and waſſhe youre ſcabby handes therin often tymes, and they ſhall be hole.

Scabbes.

❡ The .x. letter begynneth with .L.

❡ Laniſticum.

Laniſticū is an herbe called Louage, this herbe hath leues lyke to louage but they be ſomdele more, & it hath a longe ſtalke and it is ſtronge in ſauour. ❡ The vertue is in ẏ ſede of her. Alſo ẏ more ther

A ſto-make. of dronke with wyne, is good for ye ſtomacke, and for good dygeſtynge, this is hote and drye.

¶ Lingua ceruina.

Lingua ceruina is an Herbe called hertes tongue, this hath leues lyke to the tongue of a harte, & it groweth in walles and drye places, and hath no Sede, nor flower, nor ſtalke. ¶ The vertue of this herbe is that he wyll rype the poſtume and breke it, yf it be ſodde with oyle of Roſes. Also yf it be dronke with olde wyne, it hardeneth the wombe Alſo it healeth a man of the cough, this is hote and drye.

Poſtu-me.

Wombe

coughe

¶ Lilium.

Lilium is an herbe that men call Lylye. ¶ The vertue of this herbe is that yf thou punne it with Talowe, & ſeth it with oyle, and laye it to the place there as ye colde poſtume is it ſhall rype hym and breke hym. Alſo take the rootes of lylye, & the

Poſtu-me.

Rootes of the rede docke and the more of louage, and put all theſe in wyne and oyle, the ſpace of .ij. dayes and afterwarde let it ſeeth and clenſe it, and do therto waxe ⁊ oyle, and make an oyntmēt and that is good to hele the ſores and hardenes of a mannes mylte. Alſo take the knobbes of the Rootes of the Lylye and roſte them amonge the Coles, and take oyle Olyue and anoynte there as the ſore is. Mylt.

¶ Liguſtrum.

LIguſtrum is an Herbe called Prymeroſe. ¶ The vertue of this herbe is good for to make potage. Alſo the ioyce put in a mānes noſe wyll dyſtroy the Megrym. Alſo the water that the roote is ſodden in is good to vnſtop the conduytes of vryne. ☞ ☞ Megrī Vryne.

¶ Lingua bouis.

LIngua bouis is an herbe called Langdebefe. ¶ The vertue of this herbe is good to do awaye the rede coloure of a man. Alſo yf it be dronken it doth awaye the cardyacle and other wycked humours in a mannes Lunges. ¶ Alſo the ioyce of this herbe dronke with hote water, maketh a man to haue a good mynde and good wyt, this muſt be gathered in June or in July, and this is hote and drye. ☞

Color.

ũges.

Water.

¶ Lingua ſerpentis maior.

Lingua ſerpentis maior is an herbe called adder tongue, this herbe hath leues lyke to affodyl but they be more grene, and alſo more ſharpe in the ende, this muſt be gathered in the moneth of Apryll.

¶ Lingua ſerpentis minor.

Lingua Serpentis minor is an herbe called the leſſe Adder tongue, this herbe hath leues ſōwhat lyke to Pygyll, and it hath a yelow flower, & out of yͤ ſtalke cōmeth many braũſhes, and it groweth in wodes.

¶ The vertue of this herbe is good to lay to a Cut, yf it be bruſed and layde therto. ☞ ❧ ☜

A cut.

¶ Lingua canis.

LJngua canis is an herbe called houndes tongue. ¶ The vertue of this Herbe is that he is good to dyſtroy the coughe and the poſtume and it wyll rype a botche. Alſo this herbe eaten is good for ſhakynge of the hede, and maketh the throte and the breth ſmothe and ſouple. Alſo it is good for the flux of the wombe yf thy Fete be waſſhed in the water that it is ſoden in.

coughe
Botches.
flux of wombe

¶ Lingua hircina

LJngua hircina is an herbe called Bucke ſhorne, or ſwynes kerce this herbe hath leues flatered as it were an hertes horne, and it groweth crepynge by the grounde, and it hath a lytell whyte flower, it groweth in watery places. ¶ The vertue is that it clenſeth the ſtomacke and

ſtomake

and refreyneth the great hete and healeth the brennynge of fyre, yf ẏ it be ſoden and layde therto.

Burnig of fyre.

¶ Lupinus.

LUpinus is an Herbe called Lupyne, this herbe hath leues lyke to fyue leued Gras, the Lupyne hath .vi. leues and it hath a whyte Flower, and a whyte Sede that is ſomwhat broder, and it bereth coddes ſomwhat lyke to bene Coddes.

¶ The vertue of this herbe is, yf a man haue Wormes in his wombe. take the ſede and make mele therof and the ioyce of wormwode and hony, and make a cake therof and ete it, and it vnbyndeth the ſtoppyng of the Lyuer and of the mylte. Alſo it is good to dyſtroye the dropſy. Alſo take the ſame Mele and the ioyce of arſmerte and make therof paſte and lay it to thy eares, and it ſhall kyll the wormes within them or yf thou make a cake therof & ete it, it wyll

Lyuer.

dropſy

Wormes.

wyll do the ſame. Alſo yf thou wylt take the ioyce of Lekes, and tempre it with thy Meele and put it in thy Eres, it ſhall clenſe them from all wycked humoures and ſtynkynge. Eares

Alſo take the ſame meele and tempre it with oyle, ⁊ it wyll breke and rype all maner of poſtume. And this herbe is hote and drye. Poſtume

¶ Labrum veneris.

LAbrum veneris is an herbe that mē calleth ſowthyſtyll. ¶ The vertue of this herbe is this, yf a mā haue a hote Feuer, take the Ioyce therof and tempre it with hote water, and let hym drynke it ⁊ he ſhall be hole. Feuer

Alſo yf a man haue venym within hym, take this herbe ⁊ drye it and make powder therof, and do the powder in good wyne, and lette hym drynke it, and it wyll caſt vp all the venym, this herbe is hote ⁊ drye. Venym

¶ Lauendula.

LAuendula is an herbe called Lamandre, yf this be ſoden in water, & gyuen to a man that hath the palſye, it wyll hele hym, and this herbe is hote and drye. Palſie

¶ Lactuca.

LActuca is an herbe that is called Lettyſe, or ſlepe worte. ¶ The vertue of this herbe is this, yf it be eaten Rawe or ſoden it engendreth good bloude. Bloude Alſo this herbe ſoden with a lytell eyſell and ſaffron and than dronke, it helpeth a man that is ſtopped in the lyuer & in the mylt. Lyuer. Mylt. Alſo yf a man maye not ſlepe, take the ſede of this herbe and ſtampe it to powder and tempre it with womannes mylke and make a playſter therof on lynt, and lay it to the temples of thy heade, & thou ſhalt ſlepe well, Slepe. or elles drynke the Powder therof with mylke. Alſo take the ſede and tempre it with oyle of Roſes and make a playſter and lay it to thy ſtomacke, and it is good to dyſtroye the hote Poſtume. Alſo drynke the ioyce of this herbe, or Powder the ſede for it is good to heale the flyx, but who that vſeth this herbe ouer moche, it wyll dyſtroye theyr ſyght, this herbe is colde and ſome moyſt.

Poſtume.

Flyx.

¶ Lactuca ſiluatica.

LActuca ſiluatica is an Herbe called wylde Lettyſe, this herbe hath leues lyke to the thiſtell, and they be ſharpe and kene, and it hath a Flower of Purpull colour, and it groweth in Feldes and in Whete, this herbe is hote and drye. ¶ The vertu of this herbe is that it taketh away the dymnes of the iyes, medle the ioyce of this herbe with Wyne or hony and the gall of an Auſtour, or other foule of pray, and put it all medled in a glaſſe, and put it in thy iyes .iii. tymes in a daye or more, & in ſhorte ſpace thy iyes ſhall be clere for it is a ſoueraygne medicyne. And bycauſe this Herbe is good for to

Eyen.

clere the Syght, ſome ſay that the Egle eateth this herbe when that he wyll flee hye.

Lactuca leporica.

LActuca leporica is an herbe called harethyſtell, this herbe hath leues lyke vnto Sowthyſtell, but the leues be not ſo endented, it droppeth Mylke. The vertue of this herbe is thus, yf a hare eate of this herbe in ſōmer whan he is made, he ſhall be hole. Alſo take this herbe & lay it to a mānes ſyde when he ſlepeth, or els that he knowe not thereof, & it wyll hele hym of the feuers.

Madnes.

Feuer.

Lollium.

LOllium is an herbe that mē call Cokle. The vertue of this herbe is thus, yf it be dronken with Radyſche, and a lytell ſalt, it is good to hele the Canker, or other woundes in perpyll. Alſo it is good to comforte the ſtomacke and the Lyuer. Alſo it wyll vnbynde the wormes in a man.

Cāker

woūds

ſtomac

a mannes ſtomacke. Alſo it helpeth a mā to make water, and it is good for ſore eyes. ¶ Alſo ſubfumygacyon therof wyll make a Woman to bere her chylde withoute any peryll or harme. Alſo it wyll aſſwage the great paynes of akynge of the lypur it is hote and drye.

Water.

Eyes.

chylde.

lypur.

¶ Laparium rubeum.

LAparium Rubeum is an herbe called rede docke, yf that a man take the ioyce therof and holde it in his mouth, it wyll aſſwage the toth ache. Alſo yf a mā haue the kynges euyll take this herbe and ſeth it in wyne, and ſtrayne it & gyue it hym to drynke, and he ſhall be hole yf he vſe it oft. Alſo yf that a man rubbe hym with the Ioyce, it doth awaye euyll ytchynges. Alſo this herbe is good to delyuer Wyndes that be ſtopped in a mans ſtomacke by balkynge. Alſo this Herbe is good to make Scabbes and botches rype.

Toth ache.

The kinges euyll.

ytchyng.

ſtomack

Scabbes.

botches

Alſo it is good to make a man to haue a harde wombe, and this herbe is hote and drye.

wombe

¶ Linum.

LInum is an herbe ẏ mē cal flex and it is good yf a mā take the ſede therof, and ſeeth it in water, it maketh a man Laxatyue, and it is good to make a playſter therof for akynge ſores. Alſo there is another ſpyce therof that is called Cuſtula, and it is named in englyſſhe dodure, and it groweth amonge Flex.

¶ The vertue of this herbe is that he is good to Purge a man of the coloure. Alſo yf a great Quantyte therof be taken, and ſoden ī Wyne and Oyle togyther, and a Playſter made therof, it is good for the raynes and for the breeſt, and for other akynge lymbes.

to purge,

Reynes.

¶ Lauriola.

LAuriola is an herbe that mē cal lawrel. ¶ The vertue of this herbe vris, it wyl make a mā laxatyue, & it is good to purge a man of fleume and of colour, it is good for a man that may not eate, for yf the ioyce therof be put in his eares, or yf the ſayd herbe be ſtamped, and a ſuppoſitory be made therof and layde on cotton, it wyll hele it. Alſo for them that here not wel, put the ioyce into his eres, and yf there be any roten humouers it wyll drye them, and it is hote and drye.

Laxatyfe.
to purge.
Eres.
Humores.

¶ Licoriſa.

LIcoriſa is an herbe that mē cal Lycoryſe, the roote of this herbe is ſwete, & it moyſteth the kyndely hete of a man and it is good for the cough. Alſo yf it be ſoden in water, it wyll dyſtroy a mans thurſte. Alſo it maketh a mannes breſt, his throte, and his lunges moyſte and in good tempre. Alſo the water that lycoryſe is ſoden in, is good agaynſt all ſyckenes of the breſt and for the

Hete
coughe
thurſte
Breſt

Poſtume. poſtume of the rybbes called Plereteſy, it is colde and moyſt.

¶ The xi. letter begynneth with. M

¶ Mille folio minor.

Millefolio minor is an herbe that is called the leſſe Mylfoyle, there is no dyfference of kynde nor vertue betwene Mylfoyle the leſſe, and Mylfoyle the more, ſaue the more groweth in Gardaynes, & the leſſe in wylde places they be both of one ſtrength. ¶ The vertu of this herbe ſhall be declared in Mylfoyle the more folowynge by lettre.

¶ Mercurialis.

Mercurialis is an Herbe that men call Mercurye. ¶ The vertue of this Herbe is that he is good yf a man haue akynge in his Wombe wombe gyue hym to drynke the ioyce and he ſhall be hole, it wyll clenſe Stomake. the ſtomacke, and the ſede wyll do the ſame. Alſo the ioyce tempred w whyte wyne is good to hele Sore iyes, and yf a Worme or other vermyn haue bytten a man, take the ioyce and warme it, and waſſhe it. **Eyes.** **Bytig**

Alſo yf there be any wormes cropen in to a mans eres, take the ioyce & warme it & put it into his Eares & he ſhall be hole, this is hote and dry. **Eares**

¶ Menta.

MEnta is an herbe that mē call Mynte. ¶ The vertue of this herbe is that yf it be ofte eaten, it wyll ſlee the wormes in a mannes wombe. **Wormes.** Alſo yf a mā haue botches or other rennynges or ſwellynges in his heade, take this herbe & ſtampe it, and lay it to the Sore, and it wyll hele it. **Botche** **Swellynge.** Alſo yf a mannes toth or the fleſſhe of the toth ake or ſtynke: take this herbe and Seeth it in whyte wyne and in eyſell and take that lycour and waſſhe his mouth therwith, than take the Powder of the herbe and rub well his teth ther **Toth ache.**

with, and he ſhall haue a ſwete ſmellynge mouth. Alſo take thou this herbe and Eyſell and make ſauce, and it wyll make the to haue a talent to thy mete. Alſo when there ſhall be gyuen any Medycyne to deſtroye Venym, it wyll be good to be gyuen with the ioyce of this herbe, for it hath many vertues and namely for Venym, there be many ſpyces therof, & it is hote and drye.

mouth.

Taſte.

Venym

¶ Menta romana.

Menta romana is an Herbe ȳ men call whyte Mynte. ¶ The vertue of this herbe is that the ioyce therof wyll ſlee wormes in a mannes wombe. Alſo the ioyce wyll ſlee Wormes in the Noſethrylles of a man. Alſo the powder therof caſte ī a mannes Meate, ſhall make hym well to deſyre his Meate. Alſo the ioyce dronke ſleeth the wormes of the wombe yf it be dropped in the eres, it ſleeth the wormes.

wombe

Noſe

wormes.

¶ Ma

¶ Malua.

Malua is an herbe that we call Mallowe. ¶ The vertue of this herbe is good yf the Leues be ſtamped and layde to a mannes ſtomacke, it wyll breke a hote poſtume in the begynnyng, or els medle this herbe with freſſhe ſwynes greſe, and lay it on a hote tyle, and laye it all hote to the poſtume, and it ſhall rype it, and breke it. Alſo it is good to dyſtroye the hardnes of a mannes lyuer and mylte. Alſo it wyll make a man laxatyue, and it is good for playſters, it is colde and moyſte.

Poſtume.

Lyuer.

¶ Morell or nyght ſhadowe.

Morell is an herbe that me cal nyght ſhadowe, this herbe is colde and drye in the .ii. degre, the leues, the braunches, and the frutes therof be ryght good and beſt when they be grene. ¶ The vertues they be good for ſtoppynge of the ſplene & the lyuer, and beſt for the Jaundiſe

Splen

Lyuer.

to drynke the ioyce of it with a lytel Ruberbe. Alſo it is good for a poſtume in the ſtomacke, in the Bowels, or in the lyuer, ſeeth the ioyce therof with barly water and drynke it. Poſtume.

¶ Maſtyke.

Maſtyke is an Herbe that men call Gume and it is hote and dry in the .ij. degre, and it is a gume of a tre growynge in a parte of the countree of Grece, in the latter ende of Were the men of that Countre ſlytte the trees, and than make the Grounde clene all aboute and laye clothes rounde aboute the trees, or ſome other couerynge to kepe the gume from the grounde in cloſyng of it, to knowe which is beſt, to take the beſt is whyte & clere, the whyte coloure is next the beſt, and that is medled with Earth and ſomwhat darke, the beſt maſtyke hath vertue of conſtraynynge, comfortynge, clenſynge, and loſynge of humours deſcen- Clenſ ſynge

centendynge from the heade aboue to the ıyes and to the teth, and for the diſeaſe of the temples made of an aſcendyng wynde frō the ſtomacke to ỹ hede. Take powder of maſtyke with whyte ſwete Wyne, and the whyte of an Egge, and medle them well to gyther, and ye maye put in frankenſence, and playſter it to the temples. Alſo ſeeth maſtyke in water and drynke it and it wyll cōfoꝛt well the ſtomacke and make good degeſtion, and it comfoꝛteth and relaxeth the ſtomacke, and put to it fenell ſede, and it putteth out wynde out of the ſtomacke. Alſo a playſter made of Maſtyke and bole armonyake, and the whyte of an egge and vynegre, and laye it on the forke of the ſtomacke oꝛ breſte, it wyll conſtrayne well the coloꝛyke vamyte. Alſo ſeeth Maſtyke in rayne water and drynke it warme, and this medycyn is very good for the Fluxe of

ſtomak

Coloryke.

Fluxe.

the

the wombe that cometh of a ſharpe Lax that was raſed before to ſtop hym. Alſo boyle maſtyke in Rayne water or Roſe water, with two or thre cloues, and drynke it warme, and that comforteth the wombe ⁊ the flux of the wombe that cometh of ſharpnes and vyolence of the medycyne. Alſo maſtyke muſt haue but lytell boylynge for ſtrengthe of his vertue, and it ſhulde be gyuen warme, for it conſtrayneth ẏ more whā that it is gyuen warme, than whā it is ouer moche hote.

¶ Magerum.

Magerum is an Herbe that is hote and drye in the ſeconde degre, the Flowers ⁊ leues be vſed in medycynes, and it ſhulde be gathered in ſōmer whan it flowreth, and drye it in the ſhadowe, and it may be kepte a yere. ¶ The vertue of this herbe is good in cōfortynge losynge, conſumynge, and of clen-

ſynge yf the Powder of it be dron-
ken in wyne, or els boyle the powder
of it in Wyne, and it wyll hele well
the ſtomacke. Alſo it comforteth the ſtomac
degeſtyon. Alſo take the Leues and
flowers of Migerum, and punne the̅
a lytell ⁊ make the̅ hote in a pa̅ne, ⁊
lay it to the greuau̅ce and it taketh
awaye the dyſeaſe in the ſtomacke
at co̅meth of wynde. Alſo for the
wme in the heade, take this herbe rewme
d bynde it warme about thy hea
e. Alſo it dryeth the Mother and mother
onſumeth the ſuperfluyte of it.

¶ Myllefolium maior.

Millefolium maior or Parow
is an herbe that kyng Achyl-
les dyd fynde, and therwith heeled
his men that were wounded with
yron. ¶ The vertue of this herbe is
good for woundes, ſtampe this her- wou̅ds
be with ſwynes greſe, and plaiſter
it to the wounde, and it ſhall heale
it, and the ſame is good for an ache
in

in the breſte or Syde, it is good for hym that maye not Pyſſe take the Joyce of this herbe & Vyneger and drynke it, and merueylouſly it helpeth wounde that hath taken colde ſtampe this herbe in butter, and lay it to the wounde, and it wyll hele it well. Alſo to degeſt the ſtomacke or that lyeth therin, take the ioyce of it, and medle it with water and hony, and drynke it warme. Alſo it is good for dyſeaſes in the bodye, take the powder and medle it with wyne or with good ale, and drynke it and it helpety moche. Alſo it is good for the herte Brennynge. Alſo for the heade ache ſtampe this herbe, and playſter it to the heade. Alſo for bytynge of a wood dogge ſtampe this herbe with the graynes of whete, & it healeth it. Alſo for hym that may not holde his meate, take & ſtampe this herbe with wyne, and drynke it warme.

Stomake.

Body.

Herte.

Heade.

For bitynge. of wod dogges.

For Vomytig.

¶ Mother worte.

MOther worte or Mogworte, this herbe is called in Latyn Artemeſia, and it is hote and drye in the thyrde degre, this herbe helpeth a woman to conceyue a chylde, clenſeth the mother, and maketh a woman to haue her flowers, and it dyſtroyeth the Emerawdes on this maner. Fyrſte it muſte be gathered, than take the Powder of motherworte, and of horehounde togyther, and ſtrawe it on the pappes. Also yf a Chylde be deade in the Mothers wombe, take motherworte, and ſtãpe it ſmall, and make a playſter therof and laye it to her wõbe all colde, and with the grace of God ſhe ſhall haue delyueraunce without perell, it is good for the ſtone and the grauell in the raynes of a man or of a Woman, yf a man bere this herbe vpon hym, there ſhal no venymous beaſt greue hym. It is good for the

chylde.

Pappes.

a dead chylde.

ſtone.

ſtomak
Color.
bowles

yelowe Jaundes and it be dronken with wyne, for it comforteth the ſtomacke, and maketh a man or womā to haue a good coloure. Agaynſt ache of the bowelles powdre of mugworte dronken with Hony eaſeth greatly, it is good for dyuers ſyckeneſſes. ❧ ❧ ❧

¶ Maces.

MAces is a ſpyce that is called Mace, this ſpyce is hote and drye in the ſeconde degre, maces is the rynde or huſke that groweth aboute the Nutmegge, as the rynde groweth aboute the haſell nutte, it may be kepte .x. yere in his vertu, it is comfortynge, dyſſoluynge, and conſumyng, the knowledge of fyne maces is thus, it ſhulde be in coloure lyke to fyne golde, or elles lyke to golde that ſyluer is gylte with, the whiche hath a ſharpe taſte with a bytternes, and it loketh lyke to earthe, it is to be refuſed, for it hath no ſharpe ſauour, for a Colde ſtomacke that maye not defye nor degeſte well, take Maces and boyle them in wyne and drynke it. Alſo a good playſter the whiche is beſt for a feble ſtomacke, and make powder of maſtyke and of maces, and medle thē with oyle of Roſes & were, and make a playſter therof and lay it on the ſtomacke of the ſycke perſon. Alſo to clenſe the brayne of ſuperfluous humoures, take a quantite of Maces, and chewe thē well in thy mouth, and holde them there a whyle, and that ſhall loſe the feumolyte of humours that ryſe vp to the brayne, and purge the ſuperfluyte of it. Alſo for feblenes of the ſtomacke & the Lyuer of a colde cauſe, and for the colyke, and for the dyſeaſes of the ſpyrytuall membres, or flewme, boyle maces in the iuyce of fenell, & in the ende of the boylynge put in a lytell wyne, than ſtrayne it

ſtomac

Brayne.

Stomacke.

Lyuer.

and drynke it for it is the beſt remedye for the forſayd Dyſeaſes. Alſo for the ache of the herte, vſe powdre of maces in thy meates ⁊ drynkes.

ÿ herte.

¶ Menta.

MEnta is an herbe that is called red Mynt it is hote ⁊ drye in the ſeconde degre, and there be .ij. other Myntes, but I meane howſe myntes ÿ whiche properly is ſayde Gardayne myntes, for that moſte cōmenly is in medycines both grene and drye, for great holſomnes it ſhulde be dryed in a ſhadowe place, and ſo it wyll be kepte a yere in great vertue, to dyſſolue or loſe, to conſume of his proper qualyte, and to comforte of his ſwete ſavoure.

nouth

¶ The vertue is this, for the ſtynkyng of the mouth and fylth of the gūmes and of the teth, waſſhe thy mouth and gummes with vynegre that myntes be ſodden in, and after rub hym with the powdre of myntes or with dry myntes to prouoke the appetyte when an impedymente of the ſtomacke commeth of colde humours beynge in the mouth of the ſtomacke, make a ſalue of Myntes and vynegre with a lytel ſynamum and Peper, and vſe it well agaynſt vomytes that cōmeth of feblenes of the ſtomacke or of colde cauſes, ſeeth myntes in Sauge water and vynegre, and depe it in and lay it on the mouth of the ſtomacke with the Myntes that be ſoden therin. Alſo gyue to the paciente to Eate of the ſame Myntes for the ſyncopyne, & feblenesſe in Feuers, and without feuers, or of medycyne, or of what cauſe it be, ſtampe myntes with vynegre, and a lytell wyne yf the pacient be without feuer, and yf he be with feuer, ſtampe myntes with vynegre alone, than make a Toſte of ſowre brede, and toſte it well tyll it be almoſte brent, than put it in that

ſtomac

lycour, and let it lye therin tyll it be well ſoked, than put it in to his noſe and rub his lyppes, and gūmes, teth, and Temples, therwith, and bynde it to the poulſe vaynes of his armes, and let the pacyent eate the moyſtnes that is lefte & ſwalowe it in. For to clēſe the mother, take the tender croppes of myntes, and ſeth them in water or wyne, and playſter it to the ſhare, and to the raynes. Agaynſt the cōgylyng in a womānes breſte, take the ſmall ſtalkes of myntes and ſeeth thē in wyne and oyle, and playſter it aboute the Teates. Alſo be it knowen that whan any medycyne ſhulde be gyuen agaynſt venym, it ſhulde be gyuen with the ioyce of myntes, for myntes haue a maner of ſtrength of drawyng out venym, or els it ſhuld be gyuen with wyne that myntes haue be ſoden in. For ſtoppynge of the ſplen and the lyuer, and of the wayes of the vryne

to clēſe

Venym

Splen

Vryne.

of a colde humour and a hote without feuer, take the ioyce of myntes alone, or myntes ſoden in wyne, or the Joyce of myntes medled with hony, and gyue it to the pacyent. To ſlee Wormes in the Bely, take the ioyce of myntes and drynke it, and thou ſhalte be hole. Also the ioyce of myntes ſleeth wormes in the eares For a tetter take the Joyce of myntes, and put therto Brymſtone and vynegre, and medle them togyther, and anoynt the tetter therwith and thou ſhalt be hole. For a wounde in the heade, ſtampe myntes and laye on the wounde. &c. For payne in the ſyde, take myntes and ſeth them in olde wyne or ale, and with it ſtampe .viii. graynes of peper, and drynke it in the nyght, and it wyll eaſe the of thy payne.

Wormes.

A tetter.

Woũde

Syde.

The .xii. letter begynneth with. N.

Nux muſcata.

Nux muſcata is a Herbe whiche is called a nutmeg, it is hote and dry in the ſeconde degre the beſt groweth in ynde, and in the tyme of his rypynge it is gathered and ſeuen yere it may be kept, they that be playne and heuy after theyr kynde, be beſt to be choſen. And whē they be broken they fall not to powder, but they haue a ſwete and ſharpe ſauour, yf they lacke any of theſe aforſayd, they be not good for medycyne. ¶ The vertue is of comfortynge by his ſwete ſauoure. For coldnes and feblenes of degeſtyon of the ſtomacke, take in ȳ mornyng halfe a nutmeg or a hole nutmeg & eate it. Also for a colde Stomacke that is feble of degeſtyon, and for the lyuer, gyue hym wyne that nutmeg is boyled in. Also for the ſame boyle Nutmegges and Maſtyke in wyne

Cōfortynge.

ſtomac

Lyuer.

Wyne and drynke it, this is good for the dyſeaſes in the ſtomacke, & in the bowels to breke wynde. Alſo in the recoueryng of a ſyckenes to comforte the ſpyrytuall membres, boyle Nutmegges and Maſtyke in wyne, and drynke it. Alſo take nutmeg and ſmell to it, and it wyll comforte the ſpyrytuall membres.

Bowels

¶ Napo.

NApo this is named Nauew, it deſyreth grounde that is fatty, and ſandy, it groweth beſt in ſuche grounde, the propertie of the nauew is, he chaungeth and turneth into rape and after that turneth into Nauewe, the beſt doth growe in grounde well dounged and tourned Alſo it proueth well in places that Stubble of corne hath ben in that ſame yere, yf they growe to thycke plucke ſome vp here & there, ſo that the other may proue the better, and thoſe that ye plucke vp, ſet them in voyde places. They ſhuld be ſowen in the ende of July, and in Auguſt, the beſt ſauoured Nauewes be they that be longe and ſtrayght, and not ouer great, nor braunches in the rotes, but a ſtrayghte rote. Alſo of Nauewes may be made a paſſynge good mete with a lytell Salt and vynegre, hony and muſtarde, ⁊ with ſwete ſpycys, and it maye be made without ſpyces, Nauewes be hote in the ſeconde Degre, and they noryſſhe moche, but they be harde of degeſtyon, they make the fleſſhe ſofte and wyndy, but leſſe wynde then rapes. Therfore when ye ſeth them in water, caſt that water away, and ſeth them in another water, and ſo his harde ſubſtaunce is tempred by that, and ſo menely betwene good and euyll they gendre noryſſhynge, for they that be thus well ſoden be not harde of degeſtyon, they make one wyndy and they make ſtoppyng of Waynes and of poores, but yet they be profytable yf they be ſoden twyſe, and both the Waters to be caſte away and they to be ſoden in the thyrde water with fatte fleſſhe.

¶ The xiii. lettre begynneth with. O.

¶ Olibanum.

Libanum is called Frankenſence this is hote and drye in the thyrde degre it is a gumme of a tre in ynde, the cleneſt is the beſt. Alſo there be trees of that kynde growynge in Damaſke, but not ſo clere nor good for it is darker of coloure, therfore it is to be refuſed in medycyne. ¶ The vertue is of cōfortynge by his ſwete ſauour. Alſo of cloſynge and conſtraynynge for the tothache that cōmeth of ſuperfluyte of humours of the heade,

Toth ache.

and

and ſpecyally by the vaynes, make a playſter of the powder of Frankenſence with wyne, and the whyte of an egge, and medle them togyther and playſter them aboute the temples. Alſo to ſtop the wayes of the vaynes aboue, take Frankenſence, and chewe it well in thy mouth, and that ſhall ſtop and let the Fluxe of humours commynge downe to the noſtryles, take pylles of Frankenſence, and ſwalowe them downe in the mornynge, than boyle Frankenſence in wyne, and at euen drynke that whan thou goeſt to bed. Alſo theſe pylles be good to helpe the degeſtyon of the ſtomacke, and good agaynſt for balkynge. Alſo to the comfortynge and clenſynge of the matrice, and helpynge of concepcyon in the receyuynge the fume of Frankenſence brenneth. Alſo boyle powder of it in wyne, and whan it is metely warme dyp a cloth in it,

to ſtop Flux.

ſtomac

and laye it ſo warme to the ſhare of the pacient, and greatly it comforteth the matryce.

¶ The .xiiij. letter begynneth with .P.

¶ Plumeus.

Plumes be colde and moyſt ſome be whyte, and ſome be blacke, & ſome be red, they that be blacke & ſomwhat harde be the beſt they be called Dāſons, and whan they be rype gather them, and ſlyt them, and ſprynge vynegre vpon thē, and ſo they maye be kept in a veſſell of woode a yere, & fyrſt whē they be cut they muſt be layde in the ſonne .xv. dayes to dry, theſe Damſons haue vertue of coldnes and clenſynge of the inwarde partes wherfore they be good in feuers that be ſharpe & for coſtyfenes of the belye that cōmeth of drynes or of Colorike humours

mours

mours dryenge, if it be newe gyue it hym to eat, yf it be dry boyle it in water & gyue yͤ pacyente to drynke therof, this is good for the Feuer tercian, for ſtoppynge of the lyuer, for the yaundes and ſharpe feuers it ſoteth the bely, it is good for defaute of apperite, and for many other deſeaſes.

¶ Peper.

¶ This is called Peper, it is hote and drye in the .iiii. degre. There be thre maners of Peper. Blacke Whyte, and Longe. Diaſcorides and Cunſtantyne ſayeth that they be frutes of trees growyng in Jnde and ſome ſaye that Peper is made blacke with brennynge in the fyre for whan it is gathered there be a great multitude of ſerpẽtes about it, & therfore they put it in the fyre to brenne the ſerpentes yͭ be about it, the Sarylyns drye it in an ouen bycauſe it ſhall not encreace in any other lande. But of al the Pepars the blacke is the beſte and the moſt holſome. Take peper and put it into the noſethryles ⁊ it wyll make the to neſe, and ſeth peper and fygges in Wyne and drynke it, and it wyll clenſe the ſpyrituall membres of tough humours, and it is good for the poſe that is taken of colde. Alſo for the ſame eat powder of peper with Fygges. Alſo Powder of peper put in a mannes meat comforteth the degeſtyon of ẏ ſtomacke alſo put lōg peper in a roſted apple and eate it, and it ſhal comforte the degeſtyon. Alſo powder of Peper wyll freate away the dead fleſhe or proude fleſhe, and long Peper comforteth more thā blacke. Alſo blacke Peper hath vertue of Loſynge comfortynge, and of drawynge, it clenſeth the ſpyrytuall membres of colde flewme ⁊ vicious humours, it beſte whan the powder of it is eate with Fygges for he hath greate ſtrength of heatynge and comforyng the ſtomacke prouokyng appetite, but Sanguyne and Colericke perſons, it is not good to vſe peper for it dryeth and brenneth blode and it engendreth leprye and other euyll Syckenes. Plato ſayth that Peper is foule to ſe in ſyght, with out blacke, & within, with a ſharpe ſauoure and a ſwete odour, lytell in quantite and mochel in vertue.

¶ Pimpernell.

Pimpernell is an Herbe that groweth in ſandy places at the foote of the hylles. ¶ The vertue is he is good for the fyſtula and canker, and it be pouned & layde theron. Alſo it is good for dymnes of eyen, yf they be waſhed with the water that it is ſoden in. Alſo the iuyce of this herbe dronken wyll put away all venym from the body. Alſo this herbe is good to hele woundes.

Cāker

Venym

wõdes

¶ Pulce

¶ Pulegium.

PUlegium is an herbe called pulioll royall it is hote and drye in the thyrd degre, in the tyme of flowrynge it ſhulde be gathered, and it maye be kepte in his Vertue a yere, when it ſhall be vſed in medycines, take the Leues with the flowers & ſtrype them frō the ſtalkes. ¶ The vertue is of loſynge & conſumynge. For a colde humour in the hede, take Heade. Powder of it and hete it well in a ſkyllet, and all hote bynde it to the greuaunce without any lycour. Alſo for a great colde taken in the hede, and for a toughe Humour or a Humo-re. watery humour, make a gargaryſme, ſeeth Pulyoll royall, and drye fygges in tarte vynegre, and take a good ſponfull therof as hote as ye may ſuffre it, & holde it in thy mouth tyll it be almoſte colde, than put it out and take as moche more, and do ſo thre or foure tymes, and that

For ẏ heade. ſhal ſpurge thy hede wel of flewme. Alſo ſeeth it in wyne and drynke it, and it is good for the dyſeaſes in the ſtomacke in Guttes, & for colde ſtomac cauſes, or for wynde in the ſtomacke. flewme Alſo it is good for tough flewme in the breſt, yf thou take Powder of it, and medle it with claryfyde hony, and make a lectuary therof, and vſe to eate therof, or take the herbe [illegible] therof and boyle it with wyne, hony or water, and vſe to drynke therof. colour. Alſo for the blacke Coloure drynke the iuyce of it. but boyle it with wyne, and thou ſhalt be hole. Alſo for Byle. an ytchynge byle, lay this herbe in ytchig. water, & vſe to waſhe the ytchynge therin warme, and thou ſhalt be hole. Alſo for ache take this herbe all Ache. grene, and ſtampe it and playſter it to the ache, and it wyll eaſe it. Alſo coughe agaynſt the coughe boyle this herbe in wyne, and drynke it luke warme, and this wyll make one pyſſe well. For the dyſeaſes in the Bely, ſtampe this herbe with cōmyn and water, and lay it hote to the nauell, and lyghtly it ſhall be hole. For the dyſeaſes in the Lyuer, ſtampe this herbe and tempre it with Water & vynegre and drynke the ioyce therof and thou ſhalt be hole. For an ache in the legges or armes, take the leues of elder and Pulyall royall of euerych alyke moche, and ſtampe them togyther well and playſter it to the greuaunce, and it is good for the Feuer tercyan, yf thou take the braunches of this herbe, and wrap it in a good locke of woll, and gyue it to the pacyent, and let hym ſmell therto before the feuer come on hym and ẏ ſhall do hym great eaſe. For the headache, take this Herbe and bynde it faſt roūde aboute thy hede, and anone it ſeaſeth the ache. Alſo yf a woman haue a deed Chylde in her wombe, ſtampe this herbe, and

Bely.

Lyuer.

Head ache.

A dead chylde.

gyue

gyue it her to drynke with olde wy-
ne, and ſhe ſhall be delyuered of it
Crãpe by the grace of god. For the crampe
drynke the Joyce with vynegre fa-
ſtynge, and it wyll put it away.

¶ Pencedanum vel Feniculus Porcinus.

Pencedanum, this herbe is cal-
led mayth hogges fenell, or may
den wede, this herbe is hote & drye
in the thyrde degre, when this her-
be is gathered for Medycynes, the
roote is better then the leves, whẽ
the rootes be gathered they may be
ſtrãgu kepte all a yere. ¶ The vertue is he
lyon. purgeth, it is good for the ſtrangu-
Stoppe lyon or ſlyre, and good for ſtoppyng
Lyuer. of the ſplene and the lyuer, boyle this
herbe in wyne, or water, and gyue it
to the pacyent to drynke. Alſo ſeeth
it in oyle and Wyne, and playſter it
to the ſhare, and it wyll helpe the
Strangulyon or the ſlyre. Alſo the
ſame playſter is good for hardnes
of

Splen

Humoures.

of the ſplen, it molyfyeth that. Alſo agaynſt the colde Humoures of the ſpyrytuall Membres, gyue hym to drynke water with barly, and this herbe ſoden togyther, and yf it be a feruent colde humour, then ſeth the barly and the herbe in Wyne, and gyue it to the pacyent to drynke with lycoryce.

Petrocilium.

Petrocilium, this is called perſley, this is hote and moyſte in the thyrde degre. The vertue is it multyplyeth greatly mans blode and doth away the tyſyke. It helpeth well to dyſtroye the Feuer tercyan. It is good for the Syde and the dropſye. It comforteth the herte and the ſtomacke And it is good in potage, and to ſtoppe the ayris.

Bloude

Tiſike.

Feuer.

Harte

Stomac

Peritorium.

Peritorium, this herbe is called Peritory and it is hote and dry. The vertue of this herbe is thus ſtomac yf a man haue an euyll ſtomacke or elles akynge within hym, take this herbe and ſeth it in thy potage, and eate therof and thou ſhalt do well. ſtone. Alſo this herbe is good to hele one of the ſtone, yf he be bathed with it.

¶ Plaſtinaca.

PLaſtinaca, this is called a Paſnep, it is hote and moyſte in the ſeconde degre, there be two maner of paſneppes, the one is the paſnep of the Gardayne, and the other is the wylde paſneppe, they be more vſed to meate than to medycyne.

Bloude ¶ The vertue is to gendre thycke bloude and moche, wherfore it ſtyreth the luſt of the body yf it be moche vſed. therfore it is good for a man that is newly recouered out of his great ſyckenes to vſe to eate of it a whyle. Alſo they be good to be Humours. eaten rawe or ſoden for the melancoly humours grene and not drye.

To make a ſyrope to ſtyre the luſt

of the body, and for to comforte the degeſtyon take Rootes of Paſneppes, and ſeeth them well in Water than take them out and caſte away the water, and the rootes that be in gobettes boyle them in water than put therto hony well claryfyed, and let them boyle unto the thyckenes of Hony, and contynually ſtyrre it that it cleue not to the Veſſell and in the mydle of the boylynge, put in almondes yf ye haue them, and in the ende of the boylynge put in gyngre, Galyngale, and a lytell Peper, nutmeg, and other ſwete ſauoured Spyces. Alſo Paſneppes maye be ſowen in Decembre, January, and Marche, in fat Grounde and depe doluen and loſe grounde, and beſte dygged, and they be ſomwhat wyndy, boyle them in two waters, but caſte awaye the fyrſte water. Alſo there is a Paſneppe that is ſomewhat red, the whiche may be eaten

Degeſtion.

both rawe and ſoden, and with the
and Nauewes togyther ye maye
make a very good meate, and fayre
and red in colour, the whiche be ſoden
as Paſneppes be.

¶ Plantago.

PLantago, this is called Playntayne,
it is colde and drye in the
ſecōde degre. ¶ The vertue is this
for yͤ hedache take Plantayne and
bynde it about the necke, and the ache
Heade. ſhall go out of the heade. Alſo
Body. for dyſeaſes in the body, ſeeth this
Herbe in good Lycoure in what ye
wyll, and vſe to drynke it, ⁊ it ſhall
cleanſe the mawe, and the other inwardes.
Bledig. Alſo for hym that bledeth
at the noſe, gyue hym to drynke the
ioyce of it, and it ſhall ſeaſe lyghtly
Body. Alſo yf that the bodye of any man
be wexen harde, ſtampe this herbe
with greeſe and make a playſter of it
and lay it on the hardnes, ⁊ lyghtly
it ſhall be ſofte and make it hole.

Alſo

Bytyg

Alſo for bytynge of a ſerpente, take this herbe and drynke it with wyne

mouth.

Alſo for the dyſeaſe in the mouthe, take the Joyce of this herbe, and holde it longe in thy mouth, & ete the Leves of this herbe.

water.

For hym yt may not well pyſſe, ſeth this herbe and drynke it.

rotten humors

Alſo a rottẽ humour in the Breſte, and aboute the herte take the Joyce of this herbe the wayght of .x.d. & medle it with hony, and gyve hym to ete a ſponefull at one tyme, and that ſhall ſpurge the breſt.

Aches

For ache in fete, take this herbe with vynegre, and drynke it. Alſo it healeth woundes, and clenſeth the fylthe out of woũdes. Alſo it ſwageth rankelynge, and ſtauncheth the mencions both with playſters made with powder of Armonyacke, and of Mandragone, and barly mele, with the whyte of egges made in a playſter, and layde to the ſore.

Canker

For the canker and the payne

in the gũmes, take the ioyce therof and medle it with Hony and vynegre, and powdre of Alume, and that ſhall ſlee the Canker in the mouth.

Feuer.

Alſo for the feuer ſtampe .iii. rootes of Plantayne and tempre it with water, & gyue it hym to drynke that hath the Feuer, and he ſhal be hole.

Jaun-des.

For the Jaũdes ſtampe Plantayne and Letuſe togyther, and tempre thẽ with vynegre and make a playſter therof and laye it to the ryght ſyde, and vſe it tyl thou be hole, and

Bytyng.

it is good for the bytynge of an adder, drynke the Joyce of it, and laye the Subſtaunce of the herbe to the ſore. For the ſame hange the root of Plantayne aboute the necke of the pacyent, & meruaylouſly it helpeth.

Pota-gre.

For the Potagre, and for th dyſeaſe in the ſynowes, ſtampe th leues of it with a lytell Salte, an playſter it wel therto, and meruaylouſly it helpeth.

Choy

¶ Porrum.

PORRUM, this is called a Leke, it is hote and drye in the thyrde degre, it deſyreth loſe grounde and fat, and well donged, in that they ſhall beſt proffyte in hote places and temperate, they may be ſowen in decembre in temperate places, and colde. They may be ſowen in January. ¶ The vertue is for a wounde, take Lekes and ſtampe them well with hony, and laye it to the woūde and it wyll heale it. For the coughe take the ioyce of Lekes and vſe to drynke it. For the ſame, take ẏ ioyce of Lekes, & medle it with womans Mylke, and vſe to drynke it, and it wyll clenſe the Lunges of all vyce. ¶ Fracturas ſolidat, duritalq; talarat Vulnuſq; appoſitū: cito cum ſale claudit.

woūde

coughe

¶ Piretrum.

PIRETRUM, this is called Pelleter, it is hote & drye in the thyrde

degre, the roote is vſed in medycy-
nes fyue yere he may be kept in his
vertue and knowe ye well that his
ſharpnes is not knowen anone, it
ſhuld be pyned & holdē in the mouth

¶ The vertue is of Loſynge, and
Drawyng, and of Conſumyng. To
make a gargaryſme, take Pelleter
and fygges, and boyle them in vy-
negre or in ſwete wyne, and it wyll
clenſe the brayne of ſuperfluyte of
flewme. Alſo yf it be chewed in the
Fleume. mouth, it helpeth the Palſy in the
Palſy. tongue. Alſo for the palſy and the
Potagre. Potagre, ſtampe it and ſeeth it in
wyne and oyle, and playſter it to the
greuaunce this playſter helpeth mo-
che therfore, yf thou may haue gre-
ne pelyter ſtampe it, and laye it ſo-
kynge in wyne .xv. dayes, and after
boyle it well and put therto Wexe
and oyle, for this is the beſt oynte-
ment for all the foreſayde dyſeaſes.

¶ Papauer.

Papauer, this is called Popy it is colde and drye. There is two maners of them, the whyte Popy is colde and moyſte, and it is good to cauſe one to ſlepe the ſede therof wel gathered may be kept .x. yeare. ¶ The vertue is of clenſynge, it is put in medycynes with a determyna cyon as the Sede may be receyued of whyte Popy or blacke. For to pronoke a ſlepe, make a playſter of eche of them, or one of thē with womās mylke, and the whyte of an egge, & laye it to the temples. The women of Salerne gaue to yonge chyldren the Popy, but they wolde gyue thē no Blacke Popy, for it made them moche heuy. Also for a hote poſtume in the begynnynge, and for chaffynge of the Lyuer, take the ſede of whyte Popy, or els the herbe of it, and ſtampe it and medle it with oyle of Roſes, & playſter it to þe greuaūce. Also for drynes in Feuer etyke and in

Slepe.

Poſtume.

Lyuer.

Feuer.

in other Feuers, take and hete oyle of Vyolet medled with Powder of Popy, and anoynt the ſmall of the backe therwith.

¶ Polipodium.

POlipodium, this is called Polipodye, it is hote in the thyrde degre, and drye in the ſeconde degre. This polypody is a ferne that groweth vpon Okes, or in Walles, or ſtones, but the Polipody that groweth on Okes is the beſte, gather the rootes of it and lay it a daye in the ſonne, cheſe that is grene, and that whiche apereth drye, when it is broken it is to be refuſed. ¶ The vertue is of diſſoluyng, of drawyng of purgynge fleume, and ſpecyally of melancoly, wherfore comonly he is put in boylynge. and to flewmatyke, and melancolyous olde men, he is gyuen to preſerue theyr helth, and knowe well that in the boylyng of polypody ſhulde be put ſomethynge

fleume

ge to exclude and put out ventuoſyte as Anyſe ſede, Fenell ſede, for they exclude out moche wynde, and unbyndeth humours. Also for the colycdyan and for Illica paſſio, and to kepe a mans helth, do thus ſtampe halfe an ounce of polipody or an ounce, yf ye wyll haue it moche laratyue, than boyle it with prunes and vyolettes in Fenell water or anyſe, in a great quantyte, than ſtrayne it and gyue it the pacyent at euenynge and at Mornynge. Also ſtampe it and ſeth it in water with fenel ſede and make a good broth therof with a Cheken therin, with ſwete ſauoured ſpyces, and gyue the pacyent to eate. Also make a drynke therof after this maner, ſtampe it and boyle it in wyne and after put more wyne therto, and ſo make vp your drynke with ſwete ſauoured ſpyces.

Humores.

¶ Pienium.

PIenium, this is called Pionium,

it is hote and drye in the ſeconde degre, ſo ſayth Ipocras and Galien the good Phyloſophers ſay that ỹ roote therof goth to dyuers medycynes, and it wyll laſt, x. yere, and it is colde. ¶ The vertue is good for

Palſye. the Palſy, drye the roote and drynke powder with Caſter ſodē in wyne.

ſtone. Alſo the ſame is good for the ſtone.

coſtiue Alſo yf a man be coſtyue and maye not go to draught take and ſtrawe the Powdre therof on cotton, and put in to his fundement, and drynke the powder in whyte wyne. Alſo for a man or woman that hath the

Fallige euyll. fallynge euyll, ete it and drynke it in wyne. Alſo hãge the roote aboute his necke, and it wyl ſaue hym without doubte within .xv. dayes. Alſo it helpeth the ſores in the mouth.

mouth Alſo yf thou ſeth it in wyne it helpeth the ſplen. Alſo drynke Pyeny with water and hony, and do therto powder of Colyandre, and this is good for the ſtomacke, for the mylte, and for grauell in the raynes. Alſo it is good for women for dyuers dyſeaſes, and ſethe it in whyte wyne, and gyue a womā to drynke therof, and it wyll heale her bladder, and make her to pyſſe the ſtone, and it wyll hele her of the matrys. Alſo Pyeny ſede whan it is blacke, it maketh delyueraūce of the bed of the chylde in her wombe, and at euery tyme when ſhe ſhall vſe to drynke it, ſhe muſt drynke .xv. ſedes at one tyme.

ſtomac

Mylt.

ſtone.

¶ The .xv. letter begynneth with. Q

¶ Quinquefolio.

Quinquefolio, this is called Quinckefoyle, this is colde & drye in the ſeconde degre, this herbe is good for ache in a mannes lymmes and for ache of the heade, mouthe, tongue, and throte that is ſore, take and ſeeth this herbe in wyne, and gyue the pacyent to drynke therof

Lym

bro.

Head

thre dayes fyrſte and laſte, and h
ſhall be hole. Alſo ſtampe it & drynk
the ioyce of it in ale, & it wyll ceaſ
Gnawynge ſtraig. the akynge and gnawynge of a m
or woman. Alſo yf a man blede ſor
at the noſe gyue hym to drynke th
ioyce of it with Wyne, and anoynt
his heade well with the Ioyce of
this herbe, & anone the bloude ſhall
Cāker ſtaunche. For to ſlee a canker, ſeeth it
in wyne with the grece of a ſwyne,
and make a playſter therof, and lay
it on the canker, and it ſhall ſlee it.
Alſo take powdre of Quynquefoyl
and medle it with hony, and ther-
with rub thy mouth, tongue, throt
and the chekes within, and it wyl
Poyſō ſpurge it wel. Alſo for poyſon or by
tynge of a ſerpent, take the ioyce o
Quynckefoyle, and drynke it with
wyne, and meruaylouſly it releſeth
hym.

The .xvi. letter begynneth with R.

[illegible]

¶ Rybbeworte.

Rybbeworte is an herbe yͤ groweth in gardaynes. ¶ The vertu is good for the Feuer Quartayne, take the ioyce of this herbe, & drynke it two houres before that ye thynke the dyſeaſe ſhal come to you, and by the grace of god it ſhall go fro you. For them that here not well, put in to theyr eres the ioyce, and yf there be any rotten humours it wyll drye thē.

Feuer.

Eares.

¶ Rednettle.

Rednettle is called a pryke of the grekes it is hote of vertue for it brenneth them that touche it. ¶ The vertue is good for the Iaundes yf it be ſoden in wyne & dronke, it clenſeth the colour meruaylouſly. For the colde cough ſeeth the ſedes in water, and put hony therto, and drynke it, and it wyll hele the cough and take awaye the colours of the

Iaundes.

Coughe.

thre dayes fyrſte and laſte, and h
ſhalbe hole. Alſo ſtampe it & drynk
the ioyce of it in ale, & it wyll ceaſ
Gna-wynge
the akynge and gnawynge of a m
Streign.
or woman. Alſo yf a man blede ſor
at the noſe gyue hym to drynke th
ioyce of it with Wyne, and anoynt
his heade well with the Ioyce of
this herbe, & anone the bloude ſhall
Cāker
ſtaunce. For to ſlee a canker, ſeeth i
in wyne with the grece of a ſwyne,
and make a playſter therof, and lay
it on the canker, and it ſhall ſlee it.
Alſo take powdre of Quynquefoyle
and medle it with hony, and ther-
with rub thy mouth, tongue, throt
and the chekes within, and it wyl
Poyſō
ſpurge it wel. Alſo for poyſon or by-
tynge of a ſerpent, take the ioyce o
Quynckefoyle, and drynke it with
wyne, and merueylouſly it reſyſteth
venym. ❧

¶ The .xvi. letter begynneth
with R.

¶ Rybbeworte.

RYbbeworte is an herbe ỷ groweth in gardaynes. ¶ The vertu is good for the Feuer Quartayne, take the ioyce of this herbe, & drynke it two houres before that ye thynke the dyſeaſe ſhal come to you, and by the grace of god it ſhall go fro you. For them that ſere not well, put in to theyr eyes the ioyce, and yf there be any rotten humours it wyll drye the.

Feuers.

Eares

¶ Rednettle.

REdnettle is called a palyſe of the grekes it is hote of vertue for it brenneth them that touche it. ¶ The vertue is good for the Jaundes yf it be ſoden in wyne & dronke, it clenſeth the colour merueylouſly. For the colde cough ſeeth the ſedes in water, and put hony therto, and drynke it, and it wyll hele the cough and take awaye the coldnes of the

Jaundes.

Coughe

lun-

lunges, and ſwellynge of the bely. Alſo vynegre that the ſede of netels is ſoden in is good agaynſt ſcurfe in the heade, yf the heade be waſſhed therwith .ii. or .iii. tymes, and than rynſed with fayre water. Heade

¶ Roſa.

ROſa, this is called red Roſe, it is colde in the fyrſt degre, and drye in the ſeconde degre, drye Roſes and grene Roſes be uſed in medycynes, and of grene Roſes be made many confectyons. Alſo drye Roſes be put in medycynes when a receyte of Roſes is made, for they be fyrſt made in powdre, of Roſes is made mell roſet, ſugre roſet, ſyrop of Roſes, electuary of Roſes, water of Roſes, and oyle of roſes. Mell roſet is made thus, take fayre puryfyed hony, & newe red roſes yͤ whyte endes of them clypped away, then chop them ſmall, and put them in to the hony, and boyle thē meanly togyther, to knowe when it is boyled ynough ye ſhall knowe it by the ſwete odour and the coloure rede, fyue yeare he maye be kepte in his vertue. ¶ The vertue of the Roſes be of comfortynge, and by the hony he hath vertue of cleſynge. In wynter and in Sõmer it maye be gyuen competently to feble, ſycke, fleumatyke, melancolye, and coloryke people. Alſo Mulſa is made of water and mele roſet, and it may be gyuen after the thyrde daye that it cometh out of the Bathe. For to clenſe the Stomacke of colde humour, gyue hym Melroſet with water that fenell ſede is boyled in, put togyther ii. iii. graynes of ſalte, yf the ſycke may take it, this ſhulde be the quantyte of Roſes and hony. In ſeuen pounde of hony put a pounde of roſes, Sugre roſet is made thus, take newe gathered Roſes, and ſtampe them ryght ſmall with ſugre, than

Clenſynges

ſtomac

put it in a glaſſe and .xxx. dayes let it ſtande in the Sonne, and ſtyrre it well and medle it wel togyther, and ſo it may be kepte thre yeare in his vertue. The quantyte of ſugre and roſes ſhulde be thus in .iiii. pounde of ſuger, a pounde of roſes, he hath vertue of conſtraynynge, and comfortynge of the fluxe in the wombe, take Sugre roſet and Powder of maſtyke, of euery one a dragme, and medle them well togyther and gyue it to the ſycke, after that gyue hym roſe water that maſtyke and cloues be ſoden in. Syrop of roſes is made thus, ſome do take roſes dyght as it is before ſayde, and boyle them in water, and in that water ſtrayned they put Sugre and make a ſyrope therof, and ſome do make it better, for they put Roſes in a veſſell hauynge a ſtrayght mouthe, and they put to the Roſes hote Water, and they let it ſtande a daye and a nyght

Syrope

and of that water puttynge to it ſugre they make Syrope, and ſome do put more of roſes in the forſayd veſſell, and more of hote water, and let it ſtande as is beforſayd, and ſo they make a red water, and make therof a ſyrope, and ſome do ſtampe newe Roſes, and they ſtrayne out the ioyce of it and Sugre therwith they make ſyrope, and this is the beſt makynge of ſyrope, and knowe well that ſyrope made of freſſhe & newe Roſes, ſomwhat menly they be laxe, in the ende they bynde, but ſyrope made of drye roſes, fyrſt & laſt they bynde, ſyrope of roſes hath vertue of cōfortynge, and conſtraynynge agaynſt the Fluxe of the wōbe, and he vomyte gyue it hym with rayne water, or with roſe water in a feuer. After lettynge of bloude, gyue it to hym with colde Water. Alſo the ſame for the Syncopyne. Oyle of roſes is made thus, ſome

Bloude ſyncopyne.

boyle roſes in oyle & kepe it. Some do fyll a glaſſe with roſes and oyle, and they boyle it in a caudꝛen full of Water, and this Oyle is good. Some ſtampe freſſhe Roſes with Oyle and they put it in a veſſell, of glaſſe, and ſet it in the ſōne .l. dayes and this oyle is good agaynſt cha-

Lyuer. fynge of the lyuer, yf it be anoynted therwith. Alſo it is good for the

Heade. dyſeaſe in the heade that cōmeth of hete, anoynte the foꝛheade, and the temples with oyle of roſes, the water of roſes hath vertue of comfortynge, and conſtraynynge agaynſte

Fluxe. the fluxe of the wombe, and vomyt. Alſo gyue hym roſe water to drynke, or els roſe Water boyled with Maſtycke and cloues, it is beſte agaynſt the Fluxe and feblenes of Vertue yf it come of a fluxe by a ſharpe medycyne. Alſo roſe wat is good foꝛ the ſyncopyne, and y Cardyacle, gyue it hym to dꝛynke

an

and ſpryncle the water on his face, and the water is good for eyes. and in oyntementes for the face, for it taketh away the wembes and the ſuperfluyte & ſtrayneth the ſkynne. Alſo drye Roſes put to the Noſe to ſmell, do comforte the brayne, and herte, and quencheth the ſpyryte. Alſo agaynſt the Fluxe of the wombe and colour, gyue hym Roſes boyled in rayne water. Alſo a playſter made of roſes, and the whyte of egges and vynegre, and dyp a ſponge in it and laye it on the mouth of thy ſtomacke, agaynſt the Syncopyne, gyue hym to drynke water that roſes haue be Boyled in, and gyue hym powdre of of roſes in a rere egge. to make oyle of Roſes, take .ij. pounde of oyle, and a pounde and an halfe of roſes, and put all in a glaſſe, and put the glaſſe in a cawderon full of water, and hange it therin, and boyle it tyll the thyrde parte be waſted,

Harte.

Fluxe

ſyncopyne.

and after ſtrayne it throughe a lynē cloth, and kepe it for your vſe, for this oyle is colynge, and ſerueth for many thynges. Some do put Roſe water in a glaſſe, and they put roſes with theyr dewe therto, and they make it to boyle in water then they ſet it in the ſonne tyll it be red, and this water is beſt, this hath vertue of comfortynge, and conſtraynynge and for the fluxe of the wombe, and agaynſt vomyte.

¶ Roſemarye.

Body.

ROſemarye is an herbe that is hote and dry. ¶ The vertue is good agaynſt all euylles in the body, take the flowers and put them in a lynnen cloth, and ſo boyle them in fayre clene Water to halfe, and coole it and drynke it. Take the flowers and make powder therof, and bynde it to the ryght arme in a lynnen cloth, & it ſhall make the lyght and mery. Alſo ete the flowers with

hony

honny faſtynge with ſower breade, and there ſhall ryſe in the noſe euyll ſwellynges. Swel lynge Alſo take the flowers and put thē in a cheſt amonge your clothes or amonge bokes, and mothes ſhall not hurte them, boyle the flowers in gotes mylke, and then let them ſtande all a nyght vnder the ayre fayre couered, and after that gyue hym to drynke therof yͤ hath the Tyſyke, & it ſhall delyuer hym. Boyle the leues in whyte wyne, and waſſhe thy face therwith, thy berde and thy browes, and there ſhall no cornes growe out, but thou ſhalte haue a fayre face, put the leues vnder thy beddes heed, and thou ſhalt be delyuered of all euyll Dremes. Dres mes. Breke the leues ſmall to powder, & laye them on a Canker, and it ſhall ſlee it. Cank Take the leues and put them into a veſſell of Wyne, and it ſhall preſerue it from tartnes and euyll ſauour, and yf thou ſell that wyne

thou

thou ſhall haue good Lucke in the ſale. Yf thou be feble with vnkyndly ſwete, take and boyle the Leues in clene water, and whã the water is colde, do therto as moche of whyte wyne, and then make therin ſoppes, and eate well therof, and thou ſhalte recouer appetyte. Yf thou haue the fluxe boyle ẏ leues in ſtrõge Eyſell, and bynde them in a lynen clothe, and bynde it to thy wombe, and anone the fluxe ſhal withdrawe Yf thy Legges be blowen with the goute, boyle the leues in water, and then take the leues and bynde them in a lynen clothe about thy legges, and it ſhall do the good. Take the leues and boyle them in ſtronge eyſell and bynde them in a Clothe to thy ſtomacke, and it ſhall delyuer the of all euyls. Yf thou haue the coughe drynke the water of the leues boyled in whyte wyne, and it wyll hele the. Take the rynde of roſemary,

Swet.

Fluxe.

goute.

ſtomac

coughe

and make powdre therof, and drynke it for the Poſe and it ſhall helpe the. Take the tymbre therof, and brene it to coles, and make powder therof, & then put it in a lynen cloth and rubbe thy teth therwith, and yf there be any wormes therin it ſhall ſlee them, and kepe thy teth from al euyls. Alſo make the a Boxe of the Woode and ſmell to it, and it ſhall preſerue thy youth. Alſo put therof in thy dores, or in thy houſe, & thou ſhalt be without daūger of adders and other venymous Serpentes, make the a barell therof, and drynke thou of the drynke that ſtandeth therin, & thou nedes to fere no poyſon that ſhall hurte the. And yf thou ſet it in thy gardayne, kepe it honeſtly, for it is moche profytable. Alſo yf a man haue loſt his ſmellyng of he ayre, or els he maye not drawe his breth, make a fyre of the wood, and take his breth therwith, and

Poſe.

Teth.

[illegible]

Serpēt.

Poyſō.

Smellynges

gyue

gyue it hym to eate, and he ſhall
hole. ❧ ❧ ✠ ❧

¶ Ruta.

Ruta, this is called Rewe, th
is hote and drye in the ſecon
degre, the leues and the ſedes be
ſed in medycynes, the ſedes may
kept .x. yeare, and the leues a year
¶ The vertuis of purgynge, cyſ
nynge, and conſumynge. For t
Heade. headache, take the ioyce of Rewe
hete it & put it in to his noſe thr
les, for it ſpurgeth out flewme a
clenſeth the brayne, the ioyce ſod
with Wyne is good for the ſam
For feblenes of ſyght, put rewe
a pot with ale, and let the pacyen
vſe to drynke of it. For ſtoppynge
the ſplen and lyuer, the ſtrangury
the fluxe, ſeeth Rewe in wyne wi
rootes of Fenell, or powder of re
with the ioyce of Fenell and dryn
Ache. it warme. Also for an Ache or ſ
tynge, ſtampe rewe with powder

co

ōmyn, ⁊ playſter it to the greuaūce lſo agaynſt venym, drynke the ioy e of Rewe. For bytynge of a venynous beſt or worme, playſter rewe o the bytynge. For feble iye ſyght, yll water of rewe and roſes togyther, and put therof in your iyes. Al o an oyntment for ſore iyes, ſtampe Rewe and Fenell togyther of eche yke moche by weyght, and medle them with hony and Eufroſe, and it s a good oyntment for ſore Iyes. ake Rewe, Cōmyn, and Peper, of he a lyke moche by weyght, and rynde them ſmall togyther, and edle them with hony and vynegre nd it is good for the Ache in the breſt, and in the raynes.

Bytig

Eyes.

Breſt

¶ The. xvii. letter begynneth with. S.

¶ Sinapium.

SInapium, it is called Muſtarde, it is hote ⁊ drye in the mydde of the. iiii.

iiij. degre, and not the herbe but the ſede is put in medycynes. Fyue yere he may be kept in his vertu. ¶ The vertue is of loſynge, of drawynge, of makynge thyn, & of conſumynge.

Palſy. For the palſye of the Tongue, take and chewe the ſede in your mouth, and holde it vnder the tongue and it ſhall do you good. Alſo for the palſy

mēbres in other membres, ſeeth the ſede in wyne, and laye it to the ſore place, & it is beſte in the begynnynge of the dyſeaſe. Alſo take the powder of it, and put it in your noſe thrylles, and it wyll make you to neſe, and it clenſeth the brayne, and ſuperfluyte of

Brayn flume. Alſo ſeth it in wyne and fygges, and holde it warme in youre mouth tyll it be almoſte colde, then take as moche more, and do ſo fyue or. vi. tymes a daye, and as moche another daye, and this is good for

Poſe. an olde poſe of toughe and flumy humour in the heade. Alſo for ſtop-

pynge

Lyuer.

pynge of the ſplẽ and the lyuer, ſeth the ſede in water with rootes of fenell, then ſtrayne it and put therto hony, ⁊ gyue it to yͤ ſycke to drynke.

Splen

For hardnes of the ſplen, ſeeth the herbe of it in Wyne, ⁊ playſter it to the greuaũce.

Poſtume.

For to rype and breke a Poſtume, ſtampe this herbe well with hogges grece and lay it to the poſtume.

ſtrangury.

Alſo for the ſtrãgury, take this herbe, and ſeeth it in Oyle and wyne, ⁊ playſter it to the greuaunce and it wyll loſe it.

Cyatica.

Alſo for the Ciatyca, ⁊ for olde ſores, take muſtarde ſede, and the thyrde parte of crommes of whyte breade and Fygges, hony, and vynegre, after as the ache of the ſore requyreth, the more of the fygges ⁊ hony, that is there the more ſharper is the ſtrength of the Sede, and the more breade and vynegre that is in it, the more weker is the ſede, but I ſaye not that ye ſhall put this Confection to all

ſores, but to great olde Sores his
vertue is yf he be eaten, it ſharpeth
Bely. a mannes wyt, it clenſeth the Bely
ſtone. it breketh the ſtone it purgeth the
vryne, menſtruoſyte, and comfor-
ſtomac teth the ſtomacke.

¶ Smalage.

SMalage is an herbe ẏ groweth
in gardaynes, it is hote and dry
in the begynnynge of the thyrde de-
gre, & dry in the myddes of the ſame.
¶ The vertue is good for colde and
wycked humours in the ſtomacke,
ſtomac and comforteth the Stomacke, the
lyuer, and the lũges, and it is good
wou͂des for woundes, take Smalage ſede,
rewe ſede, Peper, & ſalt, and grynde
them well togyther, and tempre them
with wyne and drynke it. For rank-
rãklĩgs lynges and to ceaſe the brennynge
and akynge, and to brynge them to
theyr kynde agayne. Alſo it is good
Feuer. to drynke for the feuer tercyan.

¶ Saluia.

¶ Sal

Saluia is called Sage, and it is hote in the fyrſte degre, and drye in the ſeconde degre the leues onely be taken in medycynes, both grene and drye, he maye be kepte a yeare. There be two maner of Sages, the gardayne and the wylde Sage, yf thou wylt haue ſage for medycynes take the leues of gardayne Sage. ¶ The vertue is it cōſumeth more, and conforteth more then the other doth. For the Palſy ſeeth the leues Palſye. of Sage in wyne, and vſe to drynke it, for the ſame ſeeth the Leues in wyne, & playſter it to the greuaūce. Alſo it is good to put in ſauce, for the ſtrangury, the fluxe, and the ma Fluxe. tryce it clenſeth, ſeeth the Leues in Clenſynge. water and let the pacyent ſyt ouer it, and receyue the hote fume of it, and it ſhal do hym moche good. Alſo it is good for venym or poyſon, ſeth Venym Poyſō Sage in ale or wyne, and vſe it. iij. dayes, and thou ſhall be hole by the

grace of god. For thy ſtomacke dryn-
ke the ioyce of Sage with water &
hony, & it is good to clenſe a mans
body to vſe it both rype and grene,
Body. it wyll make a mannes body clene,
therfore who that vſeth to Eate of
this Herbe or drynke it, it is mer-
uayle that any incōuenyence ſhulde
greue them that vſe it. Yf ye haue
ytchig. an ytchynge on you waſſhe it well
with the ioyce of this herbe, and it
ſhall ſlee ytchynge. Also drynke ſa-
ge with wyne, & a lytel wormwode
and it ſhall ceaſe the ache vnder the
ſtomac ſydes, the wombe, and the ſtomacke
dropſy it is good for the palſy and dropſy.

¶ Satureia.

SAtureia is called Sauery, it is
hote and drye in the .iiij. degre.
Body. ¶ The vertue of this is, it purgeth
the body, ſeeth it in wyne or water
and drynke it, and it purgeth the
raynes raynes, the bladder, the menſtruo-
ſyte in the Bowels, it purgeth the
lun-

lunges and loſeth great humours, and cōpelleth and putteth hym out by the mouth by ſpyttynge, therfore he is brennynge & ſtyrreth hym that vſeth lechery, therfore it is forbyd to vſe it moche in meates. Soke it in vynegre or wyne, and drynke it, and it ſhall make the haue a meke ſtomacke. Alſo when it floureth, it ſhulde be gathered and dryed, and powder made therof. Alſo take the powder of ſauery, and boyle it with claryfyed hony, and vſe to ete therof, or boyle it in wyne, and drynke it and it wyll loſe toughe flewme in the breſt. Alſo for frettynge in the bely drynke powder of it in warme Wyne, and thou ſhalt be hole. Alſo yf ye take the leſſe Sauery, it hath the ſame vertue and ſtrength that the other Sauery hath. Alſo make grewel with water and flower, and powder of ſauery, and eate therof and that ſhall clenſe all the ſpyrytes

Lung

ſtomac

fleume

Fret-
tynge.

mēbres

all membres of a man. ☞ ✠ ☜

¶ Saxfrage.

ſtone. Colyke

Saxfrage is hote and drye in the thyrde degre. ¶ The vertue is good for the ſtone, ſeth the roote of it in wyne, and drynke it. Alſo it is good for the dyſeaſe of Colyke and the ſtrangury, and the powder of it be eaten with an Egge, it is good for the ſame It maye be kept in his vertue thre yeare.

¶ Scabioſa.

ſcabs. Emeraudes

Scabioſa is called ſcabias, it is hote and drye in the thyrde degre, to drye it there is no profyte in it. ¶ The vertue is good for yͤ ſcabbes, take the Ioyce of it, Vynegre, and oyle, and boyle them togyther tyll they waxe thycke and kepe it, for it is good for ſcabbes. For the Emeraudes ſeth them in Water, then ſyt ouer it, and take the fume of it and vſe it, & thou ſhalt be hole, ſtampe it and ſeeth it in wyne, and the drynke is good to dyſtroye humours in the ſtomacke, and drynke it euery daye faſtynge with Euroſe and thou ſhalt be hole, & thou ſhalt neuer haue the Peſtylence bredynge within the whyle thou do vſe it. For the lyuer ſtampe it and ſeeth it in wyne, and drynke it.

Peſtylence.

¶ Sothernwood.

Sothernwood is an herbe that groweth in the felde. ¶ The vertue of it is good for the cough, and for byndynge in the bely, and in the breſt, and for dyſeaſe in the bones, and good for them that maye not well pyſſe, take the ſede of this herbe and ſtampe it, and drynke it with water, and it is good for all the aforeſayde. Also for the dyſeaſes in the Syde, ſtampe this herbe with byttayne and drynke it, and it helpeth well. Also for the bytynge of a ſerpent, and for venym, ſtampe this herbe and drynke it with wyne, and it

coughe
Bely.
Breſt.

Sydes
Bytyn

Feuer. it is good. Alſo for the colde Feuer,
ſtampe this Herbe with wyne, and
drynke it, and thou ſhallbe hole.

¶ Syngrene.

SIngrene, it is colde and moyſte
in the .iij. degre. ¶ The vertue
of this herbe, and alſo the ioyce of
the ſame herbe is neceſſary for ma-
ny dyſeaſes, ſtãpe this herbe with
grece and playſter it to the dyſeaſe
and meruaylouſly it helpeth. For
dyſeaſes and darknes of the iyes,
ſtampe this Herbe and put of the
Eyes. ioyce in the ſore iyes. For chafynge
Lyuer. of the lyuer, take the ioyce of it and
vynegre, and dyp a cloth therin and
playſter it to the greuaunce. For by-
Biting. tynge or ſcaldynge, make an oynt-
ment of the ioyce of this herbe, and
oyle of roſes and waxe, but laye it
not to tyl after thre fyrſt dayes but
fyrſte anoynt it with grece & ſuche
other. Alſo for a dyſeaſe of a hote
cauſe, it is good to be layde therto.

¶ Styt-

¶ Stytcheworte.

STytchewort or byrdeſtong, this is hote and moyſte in the fyrſte degre. ¶ The vertue of this herbe is this, it is good to hele ſtytches, woundes, and alſo ſore iyes.

ſtytche.
woũds
Eyes.

¶ Scamony.

SCamony is hote and drye in the .iii. degre, the leues only be beſte in medycynes, it may be kept a yere in his vertue or .ii. for nede. ¶ The vertue is good for the dyſeaſe in the Stomacke, boyle the leues of it in wyne, and drynke it. Alſo the aforeſayde drynke is good for the Bely. For the ſtrangury and fluxe, alſo a ſtewe made with boylynge of it in water or wyne, is good for the foreſayd yf it be boyled in oyle, and plaſter it to the ſame aforeſayde it is better.

ſtomac
ſtrangury.
Fluxe.

¶ Sene.

SEne is hote and drye in the .iiii. degre it groweth on the other ſyde the ſee, and moſte aboute Ba-

bylon, the beſte be the Flowers and
the braunches of it. ¶ The vertue
Fallige euyll. is good for many dyſeaſes, as the
fallynge euyll. for the ſyncop, for ỹ
Splen ſplen, for the Emerawdes, and for
Quartayne. the quartayne, Syrope made of i
boyled in water, and ſugre is goo
for all the aforeſayde. ſyrope ma
with the force of Borage for the
foreſayd. Alſo Dyaſcorydes com-
maundeth to make Exmell of the
foreſayd with boylynge of vynegr
7 and hony, and it wyl be good for th
aforeſayd. And this herbe maye b
kepte ten yeare in his ſtrength and
vertue.

¶ Selondyne.

SElondyne is hote and dry in the
iiij. degre, ⁊ Galyen ſayth tha
it is good for ſoreiyes. ¶ The ver-
Iyes. tue is good for ſore Iyes, the ioyce
of ſelondyne, and the roote boyle it
well togyther in a pāne, and when
it is colde anoynte thy Iyes there-
with

with. Take ſelondyne and wrynge oute the Joyce, and medle it with whyte wyne, & anoynte thy vyſage therwith, and it ſhall do away frakles of the vyſage. The ioyce of ſelondyne & gotes donge medled togyther ſmall in a Morter, then yf thou lay it to a canker in a womans pappe, it ſhall ſlee the canker. Alſo take the Joyce of Selondyne, and powdre of brymſtone, and medle thē well togyther, and it wyll helpe to do away the morfewe, and ſeth the roote in wyne, and when the pot is takē downe let hȳ holde his mouth open ouer it, that the breth may go in to his body, and that ſhal ſlee the Canker in the mouth, it is good for hym that hath dronkē venym with his owne ſtale, and that wyll ſaue hym.

Frakles in vyſage

Cāker

Morfewe.

Cāker.

Venym

¶ Sauayne.

SAuayne is hote and drye in the ſeconde degre. ¶ The vertue is good to ſlee wormes in the wombe,

wormes.

and to brynge them out yf it be ſoden in wyne, and geuen to the pacyente to drynke. It is good with butter or grece to make an oyntmente

ſcabs. for the ſcabbe that renneth to heale

Heade. it and drye it vp, and it is good for

ache. the hedache, yf it be ſtamped & tempered with Vynegre, and make a playſter therof, and laye it to thy tēples & vpon the molde of thy heade.

¶ Scabioſe.

SCabioſe is colde and moyſte in the .ij. degre. ¶ The vertue of

Lyuer. this Herbe is good for the Lyuer, ſtampe it and ſeth it in wyne. And it wyll dyſtroye wycked humours

ſtomac in the ſtomacke, and drynke it euery day faſtynge with Eucoſe, and thou

Poſtume. ſhall neuer haue Poſtume bredynge within the, as longe as thou doſte vſe this medycyne.

¶ The .xviij. letter begynneth with. T.

¶ Towne creſſes.

Tow=

TOwne creſſes, is hote & drye in the thyrde degre the ſede wyll endure .v. yeare. ❡ The vertue is good to ſtaūche the flux and the menſyon, yf thou take the ſede & broyſe it in a morter of braſſe and gyue the ſycke to drynke therof .iii. dayes euery day a peny wayght at ones with red Wyne warmed, & in theſe thre dayes he ſhall be ſtaunched, or els he ſhall dye of that euyl it is good for the palſy, and for the maleflanke, take the ſede and ſeeth it with wyne and do it in a pocket, & bynde it to the ſyde there as the greuaunce is. Alſo it is good for hym that maye not pyſſe, take the ſede & ſeeth it in Wyne and oyle olyue, and bynde it to thy ſhare. It is good for a mans fundament that goeth out yf it be taken of colde, then it muſte be put in agayne, and ſtrawe the powder on the foundement, thy rayſ-

Fluxe Mēſis.

Palſy. Male flāke.

water.

Fūdament.

nes

nes with hony, and then ſtrawe the powder aboue with the Powder of Comen, or powder of Calaſyne, for all theſe be kyndly for it. Alſo take the ſtalkes of Townecreſſes, and bren them, and there ſhall no venymous beeſt, ne Worme abyde the ſauour nor ſmell therof, but he ſhal dye or els flye away.

¶ Tapſuberbeſto.

TApſuberbeſto is called Melon
it is colde and drye. ¶ The ver
Emeraudes tue of it is good for the Emeraw=
des, and it be ſoden in wyne and ſcō
medclene. Alſo it is good to waſ=
ſhe the Greuaunce therwith. It is
Fluxe. good alſo for the Fluxe in the bely.
Vomite To prouoke vomyt, take th[illegible] drag=
mes of the Powder of the Roote of
Melon, and drynke it in wyne, and
it wyll prouoke vomyte. Alſo the ſe=
des prouoketh Uryne and cauſeth
water. the to pyſſe, and clenſeth the raynes
ſtone. and the bladder of grauel & ſtones.

¶ The

¶ The.xix.letter begynneth with.V.

¶ Vyolet.

Vyolet is colde in the fyrſte degre, & moyſt in the ſecōde. ¶ The Vertue of it is good for a blaſt in the eyes take the Rootes of Vyolettes, and ſtampe them with myrre and ſaffron, and at nyght lay it to the ſore eyes. Alſo for a wounde in the heade, ſtampe the Leues of vyolettes with hony and Vynegre and plaiſter it to the wounde, and it ſhall hele it. Alſo for thē that maye not ſlepe for ſyckenes ſeth this herbe in water, and at euē let hym ſoke well his fete in the water to the ancles, when he goth to bed, bynde of this Herbe to his temples, and he ſhall ſlepe well by the grace of god. Take vyolettes, myrre, and ſaffron and make a playſter, and laye it to the

Eyes.

woūds

Slepe.

the ſoꝛe iyes that be ſwolen, and it ſhall ceaſe akynge, and bate the ſwellynge. ☞ ❧ ☜ ☜

¶ Uua ſuauis.

VUa ſuauis, this is called the ſwete Rayſyn, it is hote and moyſt. ¶ The vertue is of clēſynge ſcowꝛyng, oꝛ ſmothynge, rayſynges eaten oꝛ boyled in wyne is good foꝛ the colde coughe. Alſo ſeth them in Wyne and they be good to playſter on the colde poſtume, and alſo good foꝛ the colde ſtomacke.

Coughe

Poſtume.

ſtomac

¶ Veruayne.

VEruayne, this is hote & dꝛye in the ſecōde degre. ¶ The vertue is good foꝛ all maner of euylles of venym, yf the pacyent dꝛynke it tempꝛed with wyne, and ſtampe the herbe, and laye it on euery maner of bytynge of venymous beeſt, and it wyll dꝛawe out the venym and ſaue the ſoꝛe, who that vſeth it, it wyll make good bꝛeth, and do awaye the

Venym

Biting.

ſtynke of the mouth. Alſo who that hath the Feuer tercyan, take thre rootes and .iij. croppes of the ſame herbe and, ſtampe them and tempre them with fayre clene Water, and gyue it to the pacyent to drynke. Alſo who yͭ hath the feuer quartayne, let hym take the ſame drynke. Alſo it is good for the ſtomacke, yͤ lyuer, and the lunges. Alſo take Veruayne, Betayne, and Saxfrage, of euery of them a lyke moche, and ſtampe them with whyte wyne tempred, & this is good for them that hath the ſtone. Alſo they that bere Veruayne vpon them, they ſhall haue loue and grace of great mayſters, and they ſhal alſo graunte hym his aſkynge yf that his aſkyng be good & ryght full, this herbe is hote and drye.

Feuer.

ſtomac

Lyuer.

ſtone.

¶ The .xx. letter begynneth with .W.

¶ Water creſſes.

WAtercreſſes be hote and drye in the ſecōde degre. ¶ The vertue of this herbe is good yf ye ſeeth them in water by thē ſelfe and drynke it, or ſeeth it in fleſhe & ſup of the broth, and it wyll clenſe well the inwarde membres Alſo it is good agaynſte the ſtranguryon and the fluxe.

Membres.
Strāguryon.
Fluxe

¶ Wylde neppe or woodbynde.

WYlde neppe or woodbynde, this herbe bereth a flower lyke the hop, and after the flower he bereth a grene Bery, & it hath a grea roote. ¶ The vertue of this herb is moyſte in the roote, it is good fo ſynowes that be ſhronken, or eũ to make thē ſouple, and to haue theyr owne courſe in theyr propre kynde, Go to the roote of wylde Neppe, ÿ is lyke woodbynde, and make a hole in the myddes of the roote, then co-

Synowes.

uer

ter it well agayne that no ayer go out nor that no rayne go in nor water, powder, nor the ſonne come not to worke to it, let it ſtande ſo all a nyght and a daye, then after that go to it, and thou ſhalt fynde therin a certayne lycour take out ÿ lycour with a ſpone, and put it in a glaſſe, and do ſo euery daye as longe as ÿ fynd ought in the hole and this muſte be done in ÿ moneth of Apryl or May, then anoynt the ſore with it agaynſt the fyre, then wete a lynē cloth in the ſame lycour, and lap it aboute the ſores and it ſhall be hole in ſhorte ſpace on warantyſe, by ÿ grace of god. For the gowte a ſoueraygne medycyne, take the Roote of wylde Nep, ⁊ the roote of the wylde docke ſore by it ſelfe, and cut them in thyn peces, ⁊ pare away the utter rynde and cut them in quarters, thē boyle them in clene water .ii. or .iii. houres, then ſtampe them in a mor-

gowte

ker as ſmall as can be, then put therto a quantyte of ſote of a chymney, & tempre them with the mylke of a cowe that ẏ heere is of one colour, then take the pyſſe of a man that is faſtynge, and make a playſter therof, and boyle it togyther, and as hote as ye may ſuffre it, lay it to the greuaunce a day and a nyght and ſo do ix. tymes & it ſhall heale the onwarantyſe by the grace of god.

¶ Wormwood.

Wormes.

WOrmwood is hote and dry in ẏ ſecōde degre. ¶ The vertue is good for wormes in the wōbe yf it be ſtāped and the ioyce wronge out, & myngled with ſwete mylke, & gyue to the pacyent to drynke, and ſeth this herbe in wyne, and make a playſter to the wōbe, make powder of wormwood, Centory betayne, of eche a lyke moche by wayght, and midle all well togyther, & the powder wyll ſlee wormes in the wombe

wombe

bothe

both when it is eaten in potage and dronken. Also for the mylte that is ſwollen of a colde mater ſeeth it in wyne and let the ſycke drynke therof and that ſhall hele hym, & make a playſter of the ſubſtaunce of the herbe, and lay it all hote to the wombe agaynſt the greuaũce. Also ſtampe, wormwood and tempre it with vynegre, and with toſted ſowre bread grounden therwith and the ioyce of myntes, and the ioyce of plantayne of eche a lyke moche, and frye them well togyther, then make a playſter and laye it to the mouthe of the ſtomacke, and this ſhall ſtaunche, brekynge or caſtynge. For wormes in a mannes eres be it ſerpent or erewygge, take ẏ ioyce of wormwood, and put it in the ere. Also for ẏ dropſy ſeth it in wyne, and gyue the ſycke to drynke at mornynge and at euenynge. and it ſhall helpe hym.

Mylt.

ſtomac

wormes.

dropſy

FINIS.

There

¶ Hereafter foloweth the vertue of the Oken tree.

In the Oke be .iiii. thynges besyde the lefe the whiche be ryght profytable to the helth of a man, that is to wyt the Acorne, and the cup that it groweth in, the galles & the lyme. The carnels in powder be profytable agaynst the feblenes of vertue of ẏ retentyfe, that is to say agaynst feblenes of brayne, and agaynst the passyō called diabetican, & agaynst the strangury and agaynst the sycknes called dissenturiā, and agaynst the stone in the raynes, & the bladder, & it is good for them that maye not holde theyr water. The cup of ẏ Acornes is good agaynst vomytes of colour, and agaynst nesynge, and it dryeth, and consumeth flewme in the mouth of ẏ stomacke. The gall after

Brain
Strangurye.
stone.
water.
Vomite
Nesig.
stomac

after the opynion of Albart, ſo that they be not greatly holowe be good agaynſt the fluxe, and agaynſt ſlydynge and ſlypernes of guttes, and agaynſt the flowers of women, and that powder helpeth them of many infyrmyties. &c. ¶ Alſo by experyēce of Gardyners, and planters, the powder of the gall mynged with hony, perce a hole in a tre, and put it therin, and the fruyte ſhalbe blacke. Nowe with the Lyme of the Oke, Phyſycons, and ſurgyans do many cures therwith, and of it is made an oyntmēt for the palſy, & of a mans yarde, & agaynſt an infyrmyte called Deabetã. Alſo therof is made ſayrope for the dropſy that cometh of colde called yposarco, and it conſumeth watery humours. And alſo men be cured by the Fruite of Ares quartayne, tercian, and cotydyan. Alſo in yͤ tre is a thynge growynge whiche women knowe by experyēce

it

Fluxe

Palſye

Debet
tañ.

Tercy
an.

Cotid
an.

it maketh them haſtely to be delyuered
of Chylde, whiche dowche men
call it Archemſell ⁊ therof is made
bedes. ¶ The laſt cōcluſyon of this
Oken leues, of this leues is diſtylled
a water, whiche healeth all the
Fluxe. fluxe of women called Dyſſenturyan,
womēn Lauarya, and Dyaryan. Alſo
Eme- it is good for the flowers of womē,
raudes and for the Emerawdes. Alſo this
lefe in powder put in the noſe, ſtaūcheth
Bledig. the bledynge therof, and ſpyttynge
of bloud. Alſo this lefe is holſome
Lyuer. agaynſt the ache of the herte,
Splen agaynſt the epilacion of the lyuer, ⁊
Neſig. of the ſplen, ⁊ agaynſt the neſynge
coughe and agaynſt the coughe, ⁊ the heade
heade. ache, and agaynſt the ache of the ſtomacke,
ache. ⁊ the wynde of the ſtomacke
ſtomac and agaynſt the colycke, and the ache
of the wombe, and the flankes,
ſtone. and it breketh the ſtone of the raynes,
and the bladder, and alſo women
that be colde, it dyſpoſeth them
to

to be able to conceyue, it is holſom to all maner of creatures of al maner ages, and for all dyſeaſes to be taken at all tymes of the yeare &c.

¶ Wherfore Surgyans knowyng the trouth lyeth Oken Leues vpon woundes, & that done they nede none other oyntment, it heleth all maner of woundes, the Canker, the Fyſtula and ſeynt Anthonies fyre. a bayne made in the water of the oke heleth the dropſy, and all lepournesse. Alſo who ſo euer ones in the weke eteth one of the leues, he ſhall neuer haue ſtynkynge breth, nor the toth ache, nor putrefaction in his Gummes nor of his eares.

woūdes

Cāker.

dropſy.

Toth. Ache.

Eares

¶ This is the makynge of Aqua-vite perfectiſſima.

TAke the roote of Saxfrage, & Parſely, Alyſaunder, Fenell, Tyme, Iſope, Pynnyrall, Roſemary, Lauender, Pympernole, Mynt, Origan, Sauge, Calamynt

Auens,

Aſence, Betayne Saueyn, of eche halfe a quarterō, Galyngale, blacke Peper whyte Peper, longe Peper, Cloues Nutmegges, of eche an ounce, Canell, Maces. Quybybes, of eche two ounces Setwale, Peletree of ſpayne, tre of Aloes, of eche an oūce and an halfe, and ſtampe thyne herbes, and powder thy ſpyces, and put them togyther in the Wyne, & let them ſtande all nyght and on ẏ morowe dyſtyll thē through a ſerpentory, this water hath many vertues, and it is better at the fyrſte dyſtyllacion of the Canon, then at the .iij. dyſtyllaciō of ẏ ſerpentorye.

¶ To graffe and plante.

To graffe fruyte that they ſhall haue no core. Take a graffe & bowe it in both endes combynge & cut both endes graftwyſe, and ſo faſten them in to the ſtocke. And yf it growe ſo with the tre cutte awaye the great ende, and let the ſmaller ende growe and his fruyte ſhal haue no core.

¶ Thus endeth this Herball.

¶ Here begynneth the table of this preſent boke.

A

¶ Agnus caſtus.
Apium.
Anetum.
Apium riſus.
Abſynthium.
Artemiſia.
Affodyllus.
Aſtrologia longa.
Aſtrologia rotunda.
Abrotanum.
Amaros.
Alleluya.
Agrimonia.
Arancia.
Altea.
Amariſta.
Aniſum.
Alleum.
Aſtarion.

B

¶ Betonia.
Balſaminea.
Beta.
Borago domeſtica.
Bigula.
Brunela.
Burſa paſtoris.

¶ Camamilla.
Calamynctum.
Craſſula maior.
Craſſula minor.
Cicuta.
Centuaria maior.
Centuaria minor.
Cerin.
Celedonia.
Cidamum.
Caulis.
Coriandrum.
Capilus veneris.
Crocus.
Centinodium.

Caprifolium.
Canabaria
Costus.
Cepe.
Columbina.
Cominum.
Cardiaca.
Cisera.
Camelion.
Consolida maior.
Consolida minor.
Consolida media.
D
¶ Dragancia.
Diptanum.
Daucus asininus,
Daucus creticus.
Dens leonis.
Dragancia feminina.
E
¶ Elena campana.
Endiuia.
Eruca.
Eufragia.
Eubulus.
Edera.
Edera terrestris,
Eborus.
Elabrus.
Epatica.
F
¶ Famula.
Fumus terre.
Fragra.
Fabaria maior.
Filex.
Filipendula.
Feniculum.
Faxinus.
Finiculus procinus
Febrifuga.
Filago.
Flamula minor.
G
¶ Granum.
Geneſcula,
Genciana.
Galanga.
Granum ſolis.
Gladiolus.

Gracia

¶ The table.

Gracia dei.
Gracia dei maior.

H

¶ Haſtula regia.
Herba cruciata.
Herba chriſtofori.
Herba walteri.
Herba Roberti.
Herba martis.
Herba Johannis.
Herba Petri.

I

¶ Iuſquiamus.
Iſopus.
Ireoſe.
Iris,
Iua.
Iacia alba.
Iacia nigra.
Ippia maior.
Ippia minor.

L

¶ Laniſticum.
Lingua ceruina.
Lilium.
Liguſticum.
Lingua bouis.
Lingua ſerpētea ma
Lingua ſerpētis mī
Lingua canis.
Lingua hircina.
Lupinus.
Labrum Veneris
Lauendula.
Lactuca.
Lactuca ſilvatica.
Lactuca laporica.
Lollium.
Lebarium rubarum
Linum.
Lauriola.
Licoriſa

M

¶ Millefolio minor
Mercurialis.
Menta.
Menta romana.
Malua.
Morell or nyghtſhedowe.
Maſtyke.

¶ The table.

Magerum.
Millefolium maior,
Motherworte, or
Mugworte.
Maces,
Menta,
N
¶ Nux muſcata,
Napo,
O
¶ Olibanum,
P
¶ Plumentis,
Piper,
Pympernell,
Pulegium,
Peucedanum vel feniculus porcinus,
Petrocilinum,
Peritorium,
Plastinaca,
Plantago,
Porrum,
Piretrum,
Papauer,
Polipodium.
Pieniam,
Q
¶ Quinquefolio,
R
¶ Rybbeworte,
Renetill,
Roſe,
Roſemary,
Ruta
S
¶ Sinapium,
Smalege,
Saluia,
Saturcia,
Saxifrage,
Scabioſa,
Sothernwood.
Syngrene,
Stytche worte,
Scamony,
Sene,
Selondyne,
Sauayne,
Scabioſe,

T

¶ The table.

¶ Towne creſſe,
Tapſubardeſto,
V
¶ Vyolet,
Vua ſuauis,
Veruayne,
W
Water creſſes wylde,
Weppe or wodbynde
Wormwood,
¶ The vertue of the Oken tree,
¶ The Oken lefe,
¶ The makynge of Aqua vite perfectiſſima,
¶ Graffynge and plantynge.

¶ Here endeth the table.

¶ Imprynted by
me Robert wyer.
dwellynge in ſeynt Martyns Pa-
ryſſhe at the ſygne of ſeynt
John Euangelyſt,
beſyde Charyn-
ge Croſſe.

ROBERT WYER